

The background of the cover is a photograph of a ship's deck or engine room, showing various pipes, railings, and equipment. The image is tinted with a greenish-yellow color. A large white number '6' is positioned in the upper right corner. A dark horizontal band is located below the authors' names.

CHRISTOPHER LAVERS,
EDMUND G R KRAAL & STANLEY BUYERS

6

REEDS MARINE ENGINEERING AND TECHNOLOGY

BASIC ELECTROTECHNOLOGY

For Marine Engineers

B L O O M S B U R Y

CONTENTS

PREFACE	xi
THE S.I. SYSTEM	xiii
1 FUNDAMENTAL ELECTRICAL THEORY TERMS AND LAWS	1
Electron Theory	1
The nature of electricity	1
The structure of the atom	2
Current as electron movement	4
Ionisation	5
The electric circuit	5
Circuit Laws	7
Ohm's law	7
Series and parallel circuits	8
Kirchhoff's laws	9
Internal resistance of a supply source	12
Electromotive force (e.m.f.) and terminal P.D. or voltage	12
Ammeters and Voltmeters	18
Range of extension of ammeters and voltmeters	19
Instrument sensitivity	22
2 THE ELECTRIC CIRCUIT: UNITS	25
The SI System	26
Mechanical units	27
Electrical units	29
Examples Relating Mechanical and Electrical Energy	34
Efficiency	35
Grouping of Cells	38
Series connection	38
Parallel connection	40
Series-parallel connection	41
Maximum power transfer condition for a loaded circuit	43
3 CONDUCTORS, INSULATORS AND SEMICONDUCTORS	46
Resistance of a Conductor	46
Variation of conductor resistance with dimensions and material	46
Variation of conductor resistance with temperature	50
Resistance of an Insulator	54
Variation of insulation resistance with dimensions and material	54
Variation of insulation resistance with temperature	56

Resistance of a Semiconductor	58
Variation of semiconductor resistance with temperature	58
Heat and Electrical Energy	59
Relation between mechanical and heat energy	59
Relation between electrical and heat energy	61
Atomic theory of conduction	65
Energy levels	66
Energy bands	66
Crystal lattice	67
Conductivity	69
Metallic conduction	70
Liquid conduction	71
Gaseous conduction	71
Cold electron emission	72
The cold-cathode discharge lamp	73

4 ELECTROCHEMISTRY 75

Electrolytic dissociation	76
Electrolysis	76
Electrolytic Cells	79
The water voltameter (sulphuric acid solution)	79
The copper voltameter (copper sulphate solution)	81
Quantitative laws of electrolysis (Faraday's laws)	82
Electrochemical equivalent (E.C.E.)	82
Atomic weight, valency, chemical equivalent weight	83
Back e.m.f. of electrolysis	86
Primary and Secondary Cells	89
The simple voltaic cell	90
Batteries	93
The primary cell	94
The secondary cell (or accumulator)	95
The Meaning of pH	104
Electrochemical Corrosion	105

5 MAGNETISM-ELECTROMAGNETISM 110

Magnets	110
Natural magnets	110
Artificial magnets	111
The magnetic field	112
Molecular theory of magnetism	115
Electromagnetism	116
Field due to long straight current-carrying conductor	117

Field due to a current-carrying conductor bent to form a single loop	118
Field due to a current-carrying conductor wound as a solenoid	118
Introduction of an Iron Core	120
Force on a current-carrying conductor in a magnetic field	121
The ampere	122
Magnitude of force (on a current-carrying conductor in a magnetic field)	122
Unit of flux density	123
Unit of flux	123
The Magnetic Circuit	124
Magnetising force, magnetic field strength or magnetic field intensity	124
Magnetomotive force or m.m.f.	125
Permeability	127
Permeability of free space (μ_0)	127

6 ELECTROMAGNETIC CIRCUITS **132**

Magnetising Force	132
Magnetising force due to a long, straight current-carrying conductor	134
Magnetising force inside a solenoid	134
Magnetising force inside a toroid	135
Ferromagnetism	136
Relative permeability (μ_r)	136
The B - H or Magnetisation Curve	137
Reluctance (symbol S)	138
The Composite Magnetic Ring	141
The series arrangement	141
The parallel arrangement	142
Iron Losses	150
The hysteresis loop	151
Pull of an Electromagnet	154

7 ELECTROMAGNETIC INDUCTION **161**

Laws of Electromagnetic Induction	163
Faraday's law	163
Lenz's law	163
Static Induction	163
Self-inductance	164
E.m.f. due to static induction	166
Mutual inductance	168
Coupling factor	170

Inductance of 2 coils in series	171
Magnetic Induction	173
Dynamic Induction	174
E.m.f. due to dynamic induction	176
Direction of induced e.m.f. (hand rules)	178
The Simple Magneto-Dynamo	180
The simple D.C. generator	182
8 ELECTROSTATICS AND CAPACITANCE	190
Electric field	190
Electrostatics	191
Potential difference (P.D.)	193
Electrostatic charging	193
Distribution of charge	194
Electrostatic fields of force	196
Electrostatic flux	197
Electric potential	198
Capacitance	199
The capacitor	199
Capacitor systems	200
Capacitor current	202
Energy stored in an electric field or dielectric	203
Relative permittivity	204
Absolute permittivity	205
Permittivity of free space	205
Capacitance of a parallel-plate capacitor	206
Transient effects in D.C. circuits	208
Capacitor in a D.C. circuit	208
9 BASIC ALTERNATING CURRENT (A.C.) THEORY	213
The A.C. waveform	213
Representation of Sinusoidal Alternating Quantities	217
Trigonometrical representation	217
Phasor representation	218
Addition and Subtraction of Alternating Quantities	220
Root Mean Square and Average Values	225
R.m.s. or effective value	225
Average value	229
Form factor	231
Peak factor	231
10 THE SERIES A.C. CIRCUIT	234
Impedance	234
Inductance	237

Inductive reactance	237
Capacitance	248
Capacitive reactance	249
The Series Circuit	254
Inductive impedances in series	255
Inductive and capacitive impedances in series	256
The general series circuit	257
11 A.C. PARALLEL CIRCUITS AND SYSTEMS	266
A.C. Circuits	266
Power in the A.C. circuit	266
Active and reactive components	267
The parallel circuit	269
Inductive impedances in parallel	269
Inductive and capacitive impedances in parallel	271
Parallel resonance	273
Power-Factor Improvement	274
Advantages of power-factor improvement	276
kW, kVA and kVA _r	279
Power-factor improvement (kVA method)	283
Polyphase Working	285
Three-phase systems	285
Star or Y connection	286
Use of the neutral	288
Balanced load	289
Unbalanced load	289
Delta Δ or mesh connection	291
Three-phase power	292
Three-phase kVA, kW and kVA _r	293
12 THE D.C. GENERATOR	298
D.C. Machine Construction	298
Field system	298
The armature	299
D.C. Armature Winding Arrangements	303
The D.C. Generator	305
The e.m.f. equation	306
Characteristics	308
Associated Magnetic Circuit Effects	308
The no-load characteristic	309
Types of D.C. Generator	311
The permanent-magnet type of generator	311
The separately excited type of generator	312

The shunt-connected generator	313
The series-connected generator	319
The compound-connected generator	321
13 THE D.C. MOTOR	328
Direction of force	328
Magnitude of force	330
Back e.m.f. of a motor	330
Voltage equation	330
Current equation	331
Speed equation	331
Speed controlling factors	332
Types of D.C. Motor	334
The shunt motor	334
The series motor	334
The compound motor	335
Equations	335
The power equation	335
The torque equation	337
Torque controlling factors	337
Motor Characteristics	338
The shunt motor	338
The series motor	340
The compound motor	342
Motor Starters	347
Speed Control	347
Estimation of D.C. machine efficiency	351
SOLUTIONS TO PRACTICE EXAMPLES	356
SELECTION OF TYPICAL SECOND CLASS EXAMINATION QUESTIONS	436
SOLUTIONS TO TYPICAL SECOND CLASS EXAMINATION QUESTIONS	442
SELECTION OF TYPICAL FIRST CLASS EXAMINATION QUESTIONS	462
SOLUTIONS TO TYPICAL FIRST CLASS EXAMINATION QUESTIONS	469
INDEX	507

INDEX

- absolute permeability 127
- absolute permittivity 205
- acceleration due to gravity 27-8
- accumulator 95-7, 101
- active power 267-8, 280
- alkaline cell (nickel-iron and nickel-cadmium) 98-104
- alternating current (A.C.) 213-20, 220-32
- alternating current (A.C.) circuit 234-73
- alternating e.m.f. 181, 182, 183
- alternator 162, 168
- ammeters 18-22
- ampere 7, 27, 29-30, 83, 122
- ampere hour 30, 100
- ampere-turn 125, 313
- amplitude 216
- angular velocity 215, 216
- anions 77
- anode 72, 77, 106
- apparent power 247, 267, 279, 280
- armature 299-303
- armature core 299
- armature reaction 312, 318
- armature windings 300, 302-5
- artificial magnets 111-12
- atomic number 2
- atomic theory, of conduction 65
- atomic weight 83-4
- atom structure 2-4
- average values 229-31

- back e.m.f. 86-9, 330
- balanced load 289
- batteries 93-104
- bearings 302
- B-H curve 137-41

- British Association for the Advancement of Science (BAAS) 26
- brushes 302

- cable insulation resistance 55
- capacitance 199-211, 248-54
- capacitive impedances 256-7, 271-2
- capacitive reactance 236, 249-54
- capacitor 197, 199
- capacitor current 202-3
- capacitor systems 200-1
- capacity, of cell 100-2
- cathode 72
- cathode ray oscilloscope 72
- cathode ray tube 5
- cathodic protection methods 106
- cations 77
- cell e.m.f. 91-2
- cells, grouping of 38-44
- charging current 102-4
- chemical equivalent weight (C.E.Wt) 84-6
- choke 235
- circuit (A.C.) *L* 237
- circuit (A.C.) *R* 236
- circuit (A.C.) *R* and *C* 252
- circuit (A.C.) *R* and *L* 244, 245
- circuit laws 7-18, 86
- coercive force 151
- coils in series 171-3
- cold-cathode discharge lamp 73
- commutation action 183-5
- commutator 302
- composite magnetic ring 141-50
- compound 2
- compound-connected generator 321-5
- compound motor 335, 342

- electrical characteristics 342–4
- mechanical characteristics 343, 344–5
- condenser 199
- conductance 10
- conduction 65, 71–2
- conductivity 69–70
- conductor 191
- conductor resistance
 - variation, with dimensions and materials 46–50
 - variation, with temperature 50–4
- constant current method 102
- constant voltage method 102
- copper loss 336, 352
- copper voltmeter (copper sulphate solution) 81–2
- corrosion 105–8
- Cosine Rule 222, 295
- coulomb 30–1, 197
- coupling factor 170–1
- covalent bonding 67
- critical resistance 317–18
- crystal lattice 67–9
- cumulative connection 322, 335, 342
- current
 - as electron movement 4–5
 - equation 331
 - law 9–10
 - unit 29–30
- current carrier 70, 76, 117–19, 121–3, 134
- cycle 215, 226
- D.C. circuits
 - capacitor in 208–11
 - transient effects in 208
- D.C. generator 182, 298–310
 - characteristics 308
 - machine construction 298–303
 - types 311–22
- D.C. machine efficiency estimation 351–4
- D.C. motor 328
 - characteristics 338–46
 - direction of force 328–9
 - direction of magnitude 330–3
 - equations 335–8
 - motor starters 347
 - speed control 347–54
 - types 334–5
- delta connection 291–2
- depolarisers 93, 94
- derived unit 27
- dielectric 194; *see also* relative permittivity
- differential connection 344–5
- discharge lamp 73
- drum winding 186–8
- dry cell 93
- dynamic electricity 191
- dynamic induction 174–80
- eddy current coefficient 154
- eddy-current loss 153–4, 352
- effective value 225–9
- efficiency 35–8
 - of cell 100
 - D.C. machine 351–4
- electrical connection, types of 321–2
- electrical energy
 - and heat energy, relation between 61–5
 - and mechanical energy 34–8
- electrical units 29–34
- electric charge 191, 193
- electric circuit 5–7, 25–44
- electric field 2, 190–1, 196–7
- electric flux density 197
- electric potential 198
- electrochemical corrosion 105–8
- electrochemical equivalent (E.C.E.) 82–3
- electrochemical series 92
- electrochemistry 75–108, 161
- electrode 70, 77–9, 81
- electrolysis 76–9
 - laws 82
- electrolytic cells 79–89
- electrolytic dissociation 76

- electromagnetic circuits 132–59
- electromagnetic compatibility (EMC) 56
- electromagnetic induction 161
 - laws 163
 - types 163–88
- electromagnetic pulse (EMP) 72
- electromagnetism 116–19
- electromotive force (e.m.f.) 4, 5, 7, 12, 13, 17, 31, 38, 78, 161, 237
 - back 86–9, 330
 - cell 91–2
 - D.C. generator 306–7
 - D.C. motor 330
 - due to dynamic induction 176–8
 - induced 178–80
 - due to static induction 166–8
- electron emission 72
- electrons
 - significance of 2
 - valence 3, 66
- electron theory 1–7
- electron volt 66
- electroscope 192
- electrostatics 190, 191–7, 199–211
 - flux 197
- element 2
- energy 28, 31–3, 59
- energy, stored in magnetic field 151, 152
- energy bands 66–7
- energy levels 66
- energy stored in electrical field 203–4
- equivalent resistance 14, 16
- European metric system 25–6
- exponential curve 209

- farad 199
- Faraday's law 82, 163, 237, 306, 330
- ferromagnetism 136–7
- field arrangement, types of 322
- field coils 299
- field control 347–8
- field system 298–9

- Fleming's right-hand rule 178, 179
- flux density 114, 123, 127, 133
- flux density unit 123
- flux lines 113–14, 121, 122, 134, 183, 196, 197
- flux-linkages 162, 163
- flux unit 123–4
- force 27–8, 121
 - electric 196–8
 - line of 113, 122
 - magnetising 124–5, 134–6
- form factor 231
- frequency 215–16
- friction loss 35, 150, 352
- full-scale deflection (F.S.D.) 20, 21, 22

- galvanic action 105
- gaseous conduction 70–2
- gel cell 94
- grouping, of cell 38–44

- half wave 406
- hard steel 120
- heat energy 58, 59–65
- heating effect 58
- Henry 127
- hertz 215
- hole 70
- hysteresis loop 151–3
- hysteresis loss 153

- impedance 234–7
 - in parallel 269–72
 - in series 255–7
- Imperial system 25
- impressed current 106–8
- induced e.m.f. 178–80
- inductance 237–48
- induction charging 194
- inductive impedance 255–7, 269–72
- inductive reactance 235, 237–48
- inductor 235, 239

- instantaneous value 216
- Institution of Electrical Engineers (IEE)
 - Regulations 56
- insulator 191
- insulator resistance 54–8
- internal resistance, of supply source 12
- International Electrotechnical Commission 26
- interpoles 298
- ionisation 5, 71, 72, 104
- iron core 119–24
- iron losses 150–4

- joule 27, 28

- kilogramme 27
- Kirchhoff's laws 9–11, 38, 40

- lap winding 303, 304
- lead–acid cell 96–8
- leakage coefficient 148
- leakage currents 54–5
- leclanche cell 94–5
- left-hand rule 328–9
- Lenz's law 163, 179, 237
- lines of flux *see* flux lines
- liquid conduction 71
- load characteristic 311, 312, 318, 319, 322

- magnet 112–16
 - electromagnetism 116–19
 - iron core 119–24
 - types 110–12
- magnetic circuit 124–30, 308–10
 - parallel 142
 - series 142
- magnetic field 112–15, 121–2, 124–5
- magnetic field strength 123, 124, 133
- magnetic flux 114, 125, 132, 133, 161–2, 213, 328
- magnetic flux density 114, 123–4
- magnetic fringing 147–8
- magnetic hysteresis 310
- magnetic induction 173–4
- magnetic leakage 148
- magnetic material 115, 116, 120
- magnetic saturation 137, 138
- magnetisation curve 137–41, 310, 314–19
- magnetising force 124–5, 134–6
- magneto-dynamo 180–8
- magnetomotive force (m.m.f.) 125–6, 132, 134
- magnitude of force 122–3
- mass 26, 27
- maximum power transfer coefficient 43–4
- maximum value 151, 171, 214, 216, 231
- Maxwell's rule 117, 121
- measuring electrode 105
- mechanical and electrical energy, examples
 - relating 34
 - efficiency 35–8
- mechanical and heat energy, relation
 - between 59–61
- mechanical loss 150, 336
- mechanical units 27–9
- mercury-arc rectifier 229
- mesh connection 291–2
- metallic conduction 70–1
- metre 27
- metre, kilogramme and the second (MKS) 26
- mid-ordinate rule 226, 227, 231
- molecular theory 115–16
- molecule 2
- mutual induction/inductance 167, 168–70, 171

- natural magnets 110–11
- neutral 288
- neutron 2
- newton 27–8, 176
- nucleus 2

- ohm 7, 33–4
- Ohm's law 7–8, 38, 78, 86
- open-circuit characteristic (O.C.C.);
 - see* magnetisation curve
- orbital electrons 2, 3

- parallel circuit 8–10, 269
- parallel connection 40–1
- parallel-plate capacitor 206–7
- parallel resonance 273
- passive loads 86
- peak factor 231–2
- peak value 216
- percentage compounding 322–3
- periodic time 215
- permanent-magnet type, of generator 311
- permeability 133, 205
 - absolute 127
 - of free space 127–30, 133
 - relative 136–7
- permittivity
 - absolute 205
 - of free space 205–6
 - relative 204–5
- pH, meaning of 104–5
- phase difference 218
- phasor 214, 216, 221
- phasor diagrams 219, 220, 225, 238, 239, 241–2, 244, 259, 260, 261, 275, 280, 286
- photoelectric effect 72
- polarisation 78, 93, 94
- poles 110–14, 298–9
- polyphase working 285–8, 291–3
 - balanced load 289
 - unbalanced load 289–90
- potential difference (P.D.) 4, 5, 6, 12, 31, 38, 193
- power
 - in A.C. circuit 266–7
 - single-phase 268
 - three-phase 292–3
 - unit 28
- power equation 335–6
- power expended, during electrolysis 89
- power factor 235, 240, 247–8, 256, 257, 259, 293–4
- power-factor improvement 273–6
 - advantages 276–9
 - kVA method 283–4
- primary cells 89–95
- primary coil 166, 169
- protons 2
- pull, of electromagnet 154–9
- quantity, unit of; *see* coulomb
- quantum shells 65
- range resistor 21–2
- reactance 235
- reactive power 267–8, 280
- reactor 235
- rectifier 229
- reference electrode 105
- regulation 277
- relative permeability 136–7
- relative permittivity 204–5
- reluctance 138–41
- remanence 151
- residual magnetism 310
- resistance
 - of electrolytes 88–9
 - of insulator 54–8
 - of semiconductor 58–9
 - temperature coefficient 51–4
 - unit *see* ohm
- resistivity 48
- resonance 260–3, 273
- resonant frequency 260, 261
- right-hand rule 117, 119
- root mean square 225–9
- S.I. system 26–34
- sacrificial anode 106
- saturation effect 138, 308
- secondary cells 89–93, 96–104
- secondary coil 137, 169
- self-excitation 314–19
- self-inductance 163, 164–6
- self-induction 167
- semiconductor resistance 58–9
- sensitivity, instrument 22–3

- separately excited type, of generator 312-13
- series circuit 10, 255-63
- series-connected generator 319-20
- series connection 38-9
- series motor 334-5
- electrical characteristics 340
 - mechanical characteristics 340-1
- series-parallel circuit 8-9, 14
- series-parallel connection 41-3
- series resonance 260-3
- shaft 302
- shell 3
- shunt 19-20
- shunt-connected generator 313-19
- shunt motor 334
- electrical characteristics 338-9
 - mechanical characteristics 339
- Siemens 11
- Sine Rule 222
- sine wave 182, 214, 216, 221
- sinusoidal quantities 217-20
- SI system 26-34
- soft iron 121
- solenoid 118-19
- specific heat capacity 59-60
- specific resistance *see* resistivity
- speed control 332-3, 347-50
- speed equation 331-1
- star connection 286-8
- starters (motor) 347
- static electricity 75, 191, 192
- static inductance 163-73
- strength of field 198
- subatomic particles 2
- superconductivity 70
- surface density 195
- susceptibility 121
- Swinburne test 351
- temperature coefficient 51-4
- terminals 67
- tesla 114
- thermionic emission 72
- thermistor 58, 59
- three-phase Kva, kW, and
kVA_r 293
- three-phase systems 285-6
- time constant 208
- toroid 135-6
- torque controlling factors 337-8
- torque equation 337
- transducers 19
- transformer action principle 137
- true power 247
- unbalanced load 289-90
- units 29-34
- valence electrons 3, 66
- valency 84
- velocity 27
- volt 31-3
- voltage 7, 12-18
- voltage control 347, 348
- voltage equation 330-1
- voltage law 9
- voltaic cell 79, 90-3
- voltmeter 79-82
- voltmeters 18-23
- water voltmeter (sulphuric acid
solution) 79-80
- watt 27, 28
- waveform, A.C. 213-17
- wave winding 303, 304, 305
- weber 178
- weight 28
- wet cell 94
- windage loss 150, 336, 352
- work and energy, unit of 28
- yoke 299

