



FIFTH EDITION

INTRODUCTION TO NAVAL ARCHITECTURE

ERIC C. TUPPER

B
H

Introduction to Naval Architecture

Fifth Edition

Eric C. Tupper

BSc, CEng, RCNC, FRINA, WhSch



AMSTERDAM • BOSTON • HEIDELBERG • LONDON
NEW YORK • OXFORD • PARIS • SAN DIEGO
SAN FRANCISCO • SINGAPORE • SYDNEY • TOKYO

Butterworth-Heinemann is an imprint of Elsevier



Contents

Preface to the fifth edition	xi
Acknowledgements	xiii
1. Introduction	1
General	1
Naval Architecture and the Naval Architect	1
Safety	5
The Impact of Technology and Computers	5
Summary	7
2. Definition and Regulation	9
Introduction	9
Definition	9
Displacement and Tonnage	17
Freeboard and Load Lines	19
International and National Regulatory Bodies	20
Standards	29
Summary	32
3. Ship Form Calculations	33
Introduction	33
Approximate Integration	33
Spreadsheets	44
Summary	46
4. Flotation	47
Introduction	47
Equilibrium	47
The Metacentre	50
Trim	55
Hydrostatic Curves	58

Problems in Trim	59
Transverse Weight Movements	61
Summary	62
5. Stability	63
Introduction	63
The Approach	64
Stability at Small Angles	64
Special Cases in Stability	67
The Inclining Experiment	71
Stability at Large Angles	73
Statical Stability (GZ) Curves	76
Cross Curves of Stability	77
Weight Movements	80
Dynamical Stability	82
External Influences	84
Stability Standards for the Intact Ship	86
IMO Criteria	88
Warship Intact Stability	89
Comment on Stability Standards	91
Stability of Small Craft	93
Flooding and Damaged Stability	93
Stability in the Damaged State	101
The Probabilistic Approach	102
Stability Standards for the Damaged Ship	106
Damage Stability Standards for Warships	108
Continuing Work	111
Summary	113
6. Launching, Docking and Grounding	115
Introduction	115
Launching	116
Docking	120
Grounding	125
Summary	129
7. Resistance	131
Introduction	131
Fluid Flow	131
Numerical Methods and Computational Fluid Dynamics	134
Types of Resistance	136
Calculation of Resistance	145

Methodical Series	150
Roughness	153
Resistance in Shallow Water	154
Form Parameters and Resistance	154
Model Experiments	157
Full-Scale Trials	158
Effective Power	159
Summary	160
8. Propulsion	161
Introduction	161
General Principles	161
Propulsors	163
The Screw Propeller	165
Propeller Thrust and Torque	172
Presentation of Propeller Data	175
Hull Efficiency Elements	180
The ITTC Performance Prediction Method	184
Cavitation	186
Other Propulsor Types	192
Ship Trials	196
Main Machinery Power	200
Summary	202
9. The Ship Environments	205
Introduction	205
The Ocean Environment	205
The Atmosphere	206
The Ocean	209
Ice and Cold Weather	221
Other Extreme Environments	223
Marine Pollution	224
Human Factors	232
The Internal Environment	234
Summary	241
10. Seakeeping	243
Introduction	243
Ship Responses	243
Ship Motions	245
Presentation of Motion Data	247
Limiting Factors	251

Overall Seakeeping Performance	254
Acquiring Seakeeping Data	255
Hazards Due to Wave Resonance Effects	256
Deriving the Motions	258
Effect of Ship Form	259
Stabilisation	260
Summary	262
11. Vibration, Noise and Shock	265
Introduction	265
Ship Vibrations	266
Calculations	267
Vibration Levels	272
Noise	273
Shock	274
Summary	275
12. Manoeuvring	277
Introduction	277
Directional Stability and Control	278
Manoeuvring	279
Manoeuvring Devices	285
Rudder Area, Forces and Torques	290
Ship Handling	292
Dynamic Stability and Control of Submarines	294
Underwater Vehicles, General	296
Predictions of Manoeuvrability	296
Modifying a Ship's Manoeuvring Performance	297
Summary	298
13. Structures	299
Introduction	299
Nature of a Ship's Structure	300
Modes of Failure	301
Forces on a Ship	303
Longitudinal Strength in Waves	305
Section Inertia and Modulus	311
Superstructures	315
Standard Calculation Results	317
Strength of Individual Structural Elements	319
Transverse Strength	324
Some Other Structural Considerations	326

Horizontal Flexure and Torsion	332
Load-Shortening Curves	333
Finite Element Analysis	333
Corrosion	337
Overall Structural Safety	338
Summary	340
14. Ship Design	343
Introduction	343
The Requirements	344
The Design Phases	344
A Methodical Design Approach	349
Design Configuration	355
CAD Systems	356
Costs	364
Some General Design Problems	366
Safety	370
Summary	377
15. Ship Types	379
Introduction	379
Merchant Ships	379
Specialist Vessels	393
High-Speed Craft	396
Warships	401
Summary	412
Appendix A: Presentation of Data	413
Appendix B: The Displacement Sheet and Hydrostatics	419
Appendix C: Basic Ship Dynamics	439
Appendix D: The Froude Notation	443
Appendix E: Questions	449
References and Further Reading	457
Index	467

A

Abnormal waves, 220–221
 Accident investigation, 375
 Active, 158
 Active stabilization, 261
 Actuator disc, 163
 Added mass, 245, 439
 Added weight method, 99–101
 Admiralty coefficient, 199
 Advance, 280
 Advance coefficient, 172, 177–179, 199
 Advance, speed of, 176, 201
 Aerofoil, 167–168, 171–172, 188–189
 Aframax, 128
 After perpendicular, 10
 Agulhas current, 221
 Ahead resistance coefficient, 145
 Air conditioning, 236–237
 Air cushion vehicles, 4, 396–398
 Air draught, 13
 Air independent propulsion, 409
 Air quality, 236
 Air resistance, 131, 145, 147
 ALARP, 376
 Aluminium, 313, 317
 Ambient conditions, 186, 205–206
 Amidships, 11
 Angle of attack, 189
 Angle of entry, 16
 Angle of heel when turning, 281
 Angle of incidence, 169
 Angle of loll, 74–75
 Angle of repose, 81–82
 Angle of vanishing stability, 79
 Appendage coefficient, 159, 162
 Appendage resistance, 136, 144
 Appendages, 14, 136, 162
 Approximate formulae, 267, 271–272
 Approximate integration, 33–44
 Artificial intelligence, 7
 Aspect ratio, 171
 Assumed neutral axis, 312
 Asymmetric flooding, 102
 Atmosphere, 206–209, 228–230
 Attributes, 366

Atwood's formula, 73–75
 Augment of resistance, 182
 Automatic identification system, 377
 Availability, 345, 353–355
 Availability modelling, 354
 Axial inflow factor, 52
 Azimuthing propellers, 194, 279–280, 395

B

Balanced rudder, 286/
 Ballast tanks, 386
 Ballast water, 226–227
 Barge carriers, 385
 Baum, 11
 Beaufort scale, 207/, 330
Benchruchen, 374
 Bending moment, 306, 318
 Bernoulli, 131, 163
 Bilge keels, 143–144, 260–261
 Blade area, 168
 Blade area ratio, 168
 Blade element efficiency, 174
 Blade element theory, 172–175
 Blade outline, 167
 Blade sections, 167–168, 167/
 Blade thickness fraction, 168
 Blockage factor, 293
 Block coefficient, 15, 152, 260, 293, 306
 Body plan, 13–14
 Bollard pull, 394
 Bonjean curves, 49, 304, 419, 424
 Boundary layer, 139–142, 190
 Bow and buttock lines, 9–10
 Breadth, 11
 Breadth to draught ratio, 156
 Breakdown maintenance, 354
 Brittle fracture, 328–329
 Broaching, 257–258, 293
 Bucket diagram, 189, 189/
 Buckling, 302, 319–322, 411
 Building slip, 116
 Built-in stresses, 326–327
 Bulbous bow, 156–157, 260
 Bulk cargoes, 81–82, 393
 Bulk carrier, 371, 376, 385–386, 391–393

Bulkhead deck, 94–95
 Buoyancy, 48
 Buttocks, 9–10

C

Camber
 hull, 12
 propeller blade, 167–168
 Canals, 368–369
 Capabilities, 344, 351, 404–405
 Capesize, 369, 392–393
 Capsize, 97
 Cargo handling, 367
 Cargo shift, 82*f*
 Cargo ships, 107–108, 371, 381–385, 382*f*
 Castiglano, 325
 Catamarans, 86, 195, 396
 Cathodic protection, 123, 338
 Cavitation, 132–133, 172, 176, 186–192
 Cavitation bucket, 189, 189*f*
 Cavitation number, 187–188, 191
 Cavitation tunnel, 177–179, 189–192, 190*f*
 Centre of buoyancy, 48, 423
 Centre of flotation, 55
 Centre of gravity, 47, 60
 Centre of lateral resistance, 278
 Characteristics, 366–367
 Charpy test, 329
 Chemical carrier, 386, 391
 Chord, propeller, 167
 Circular notation, 443
 Circulation, 170*f*
 Classification, 379
 Classification societies, 26–28, 386–387
 Coamings, 382
 Coatings, 338
 Coefficients of fineness, 15–16
 Collision, 31, 111*f*, 274–275
 Combination carriers, 392–393
 Computational fluid dynamics, 134–136
 Computer aided design (CAD), 6, 355–366
 Computer aided manufacture (CAM), 6, 359
 Computers, 5–7, 346
 Concept design, 6, 345–347
 Configuration, 347, 355–356
 Constant notation, 443
 Container ships, 4–5, 367, 383–385, 383*f*
 Contract design, 347–349
 Contractor's sea trials, 349
 Contra rotating propellers, 194
 Controllable pitch propellers, 192
 Conventions, 17–18

Corrective maintenance, 354
 Correlation line, 143
 Corresponding speeds, 133
 Corrosion, 153, 299, 337–338, 388, 391
 Cost, 364–366
 Counterflooding, 102
 Coupling, 259, 267
 Crack arrest test, 329
 Cracking, 302, 328–329
 Crack initiation/propagation, 327
 Crack tip opening (displacement) test, 329
 Cranes, 382
 Criteria, seakeeping, 259
 Criterion numeral, 96
 Critical load (struts), 319–320
 Critical point, speed, 295–296, 295*f*
 Critical Reynolds' number, 141–142
 Critical speed, 154, 296
 Cross coupling, 256–257, 267
 Cross curves of stability, 77–80
 Crude oil carriers, 386–388
 Cruise ship, 381
 Cumulative failure, 299, 337
 Cumulative probability, 216, 329–330
 Curve of areas, 35, 49*f*, 156
 Curve of statical stability, 76
 Cycloidal rudder, 288–289

D

Damage, 221, 372–373, 395, 403–404
 Damaged stability, 20, 94–102
 Damage scenarios, 372–373
 Damping, 245, 272, 439–440
 Dead beat motions, 440
 Deadmass, 17
 Deadrise, 12
 Deadweight, 17
 Deadweight scale, 17
 Decibels, 273–274
 Deckhouses, 315
 Deep submergence rescue vessels, 411
 Defects, structural, 326
 Definitions, 9
 Deflection method, vibrations, 269–270
 Degaussing, 402
 Delivered power, 162
 Density, 132, 176, 205, 206*t*
 Dependency diagrams, 352–353
 Depth, 11
Derbyshire, 219–220, 253, 371, 376, 391
 Design, 6, 343
 Design attributes, 366

Index

- Design building blocks, 346, 359
 - Design configuration, 355–356
 - Design drivers, 355–356
 - Design phases, 344–349
 - Design requirements, 344
 - Design spiral, 346
 - Design synthesis, 343, 360
 - Detail design, 345, 349
 - Destroyer, 407–408
 - Dimensional analysis, 132, 176
 - Dimensions, 9–10, 10*f*, 13
 - Directional control, 277–279
 - Directional stability, 277–279, 283
 - Disabled people, 379–380
 - Disc area ratio, 168
 - Displacement, 14, 17, 60–61
 - Displacement per unit draught increase, 59
 - Displacement sheet, 50, 419
 - Distortion, structural, 439
 - Divergent waves, 137–138
 - Docking, 115, 120–125
 - Docking plan, 121
 - Double bottom, 382, 385–387, 389, 392
 - Double hull tankers, 371, 386–387, 386*f*
 - Drag, 169
 - Drag coefficient, 169
 - Draught, 12–13
 - Draught, air, 13
 - Drift angle, 280
 - Dry bulb temperature, 236–237
 - Dry bulk carriers, 386, 391–393
 - Dry docks, 121
 - Ducted propellers, 193
 - Dumping, 224–225
 - Duration, wind, 206–207
 - Dynamical stability, 82–84
 - Dynamic stability, 294–296
- E**
- Eddy making resistance, 143–144
 - Effective power, 159–161
 - Effective temperature, 237
 - Effective wave height, 332
 - Ehp, 159
 - Elements of form diagram, 445–447
 - Encounter spectrum, 249
 - Energy efficiency design index, 229–231
 - Energy methods, 270, 325
 - Energy method, vibration, 270
 - Energy spectrum, 216–219, 249–250, 309
 - Entrained water, 270
 - Environment, 5, 383
- Equilibrium, 47–50
 - Equivalent steel area, 317
 - Erosion, 188
 - Error function, 217
 - Escort tug, 394–395
 - Estonia, 370, 381
 - Euler's formula, 319–320
 - Evacuation, 379–380
 - Excel, 44
 - Expansion joints, 316
 - Expert systems, 7
 - Explosions, 372
 - Extreme environments, 223–224
 - Extreme waves, 220
 - Exxon Valdez*, 394–395
- F**
- Factor of subdivision, 96
 - Failure, general, 301–302, 352, 375
 - Failure mode effect analyses, 375
 - Failure, structural, 301–303, 372
 - Fairing, 14
 - Fatigue, 327–328
 - Fatigue cracking, 302, 327
 - Ferries, 380–381
 - Fetch, wind, 209
 - Finite element analysis, 302, 333–337
 - Fire, 372
 - Fitness for purpose, 2–3, 6
 - Flare, 12, 260
 - Flat of bottom, 12
 - Flat of keel, 12
 - Flexural vibration, 266–267
 - Flexure, 266–267
 - Floating docks, 122
 - Floodable length, 94–95, 95*f*
 - Flooding, 94–101
 - Floors, 301
 - Flotation, 47
 - Fluid flow, 131–134, 186
 - FORAN, 359–364
 - Forced oscillations, 246, 440–442
 - Forces on ship, 303–305
 - Formal safety assessment, 31
 - Form coefficients, 15
 - Form factor, 146
 - Form parameters, 154–157
 - Form resistance, 136
 - Forward perpendicular, 10
 - Fouling, 153, 162, 230
 - Foundering, 94
 - Freak waves, 219–221, 371

Freeboard, 13, 19–20, 252, 259–260
 Freeboard deck, 19
 Free-free vibrations, 269
 Free surface effects, 70–71
 Freight rate, 366
 Frequency domain simulation, 258–259
 Frequency of encounter, 248–249
 Frequency of motion, 440
 Frictional resistance, 136, 140–143
 Frigate, 405, 407–408
 Froude notation, 182–183, 443
 Froude number, 132–133, 176
 Froude's hypothesis, 246
 Froude's law of comparison, 133
 Full design, 345
 Fullness, 155
 Full scale trials, 158, 196–200, 247
 Functions, 344, 350–352

G

Galvanic action, 337
 Garbage, 225–226
 Gas tanker, 386, 388, 390
 Gauss rules, 42–43
 Gaussian distribution, 214–216, 330, 340
 Gawn, 180
 General cargo ship, 18, 371, 382–383
 Geometric similarity, 133, 139–140, 176, 247
 Geometry, hull, 9–16
 Global maritime distress system, 22
 Graving docks, 121–122
 Greenhouse gases, 228–229
 Green ships, 232
Greyhound, 158
 Grillages, 300, 319
 Gross tonnage, 17–18
 Grounding, 115–116, 125–129
 Grounding damage index, 128
 Groundways, 116
 GZ, 73, 76–77

H

Half breadth, 13–14
 Handing of propellers, 168
 Handling ships, 292–294
 Hanging weight, 69
 Harmonised system of ship survey, 24
 Hatch covers, 382
 Hatches, 382, 385, 391
 Heaving, 245, 247
 Heavy lift ships, 69
 Heel due to wind, 82–84

Heel during turning, 281, 282f
 Helicoidal surface, 165–166
Herald of Free Enterprise, 71, 112–113, 381
 High speed craft, 396–400
 High tensile steel, 328
 Hog and hogging, 12–13, 304
 Horizontal flexure, 332
 Hovercraft, 397
 Hull characteristics, 14–16, 366–367
 Hull deflection, 323–324
 Hull efficiency, 162, 182–183
 Hull efficiency elements, 161–162, 180–184
 Hull monitoring systems, 371
 Human performance, 232–234, 254, 272
 Humidity, 236–237
 Humps, main and prismatic, 138–139
 Hydraulic smoothness, 142
 Hydrofoil craft, 4, 396, 398–399
 Hydrofoils, 398
 Hydroplanes, 295, 410–411
 Hydrostatic curves, 57–59, 438
 Hydrostatic pressure, 47, 212

I

Icebreaker, 89, 395–396, 396f
 Ice properties, 222
 Icing, 86, 90
 Ideal efficiency, propulsor, 164–165
 Illumination, 241
 Inclining experiment, 71–73, 349
 Influence lines, 307–308, 308f
 Infra red signature, 402
 Initial stability, 66, 79
 Instability, structural, 301–302, 319
 Integration, approximate, 33–44
 Interaction between ships, 277, 294
 Intercostals, 301, 326
 Interference effects, resistance, 138–139
 Interframe collapse, 411
 Internal environment, 234–241
 International Association of Classification Societies, 28–29, 300, 379
 International Conventions, 20, 24
 International Maritime Organization, IMO, 11, 21–23, 88–90, 103, 128, 224
 International Mobile Satellite Organization, 22
 International safety management code, 22–23
 Inward turning screws, 168
 Irregular forcing function, 442
 Irregular waves, 213–216, 247–248
 Isochronous motions, 244

- ITTC model-ship correlation line, 143, 146–148, 147r
- ITTC performance prediction method, 184–186
- ITTC wave spectrum, 218

K

- Kelvin, 137–138
- Kinematic viscosity, 132–133, 149, 205, 206r
- Kitchen rudder, 287
- Kurdistan*, 328–329

L

- Laminar flow, 141, 142f
- Laminar sub layer, 142
- Large angle stability, 13, 73–76
- Latent heat, 236
- Lateral thrust units, 277, 281, 289–290
- Launching, 116–120, 118f
- Law of comparison, 133, 147–148
- Learned societies, 464
- Length between perpendiculars, 10
 - general, 155, 260
 - on waterline, 11
 - overall, 11
 - scantling, 11
 - subdivision, 11
- Lift, 169–172
- Lift coefficient, 169
- Lifting line theory, 175
- Lifting surface theory, 175
- Lightmass, 17
- Lightweight, 17
- Limiting factors, seakeeping, 251–254, 259
- Lines fairing, 14
- Lines plan, 13–14, 13f
- Liquefied gas carrier, 388
- Liquefied natural gas (LNG), 388–390, 389f
- Liquefied petroleum gas (LPG), 231, 388, 390, 390f
- List due to weight shift, 80–82
- Lloyds Register of Shipping, 464
- Load factor, 162
- Loading conditions, 91
- Load line regulations, 19, 26
- Load lines, 19–20
- Load shortening curves, 333, 334f, 340
- Loll, 74–75
- London Convention, 224
- Long crested seas, 258
- Longitudinal prismatic coefficient, 15
- Longitudinals, 301

- Longitudinal stability, 66
- Longitudinal strength, 305–311
- Losses, 371
- Lost buoyancy method, 98
- Lucy Ashton*, 153, 159
- Lux, 241

M

- Machinery power, 200–202
- Mach number, 132–133
- Magnetic signature, 402
- Magnification factor, 272, 441
- Maintainability, 353–354
- Maintenance, 354
- Manoeuvrability, 279–280
- Manoeuvring, 277, 285–290, 296–297
- Margin line, 94–95, 95f, 103
- Marine accident investigation, 375
- Marine pollution, 224–232
- Maritime and Coastguard Agency, 25
- MARPOL, 22, 224, 232
- Mass spring system, 272
- Mean time between failures, 354
- Mean time to repair, 354
- Measured mile, 196–197
- Membrane tanks, 389
- Merchant Shipping Acts, 375
- Merchant ships, 379–393
- Metacentre, 50–54
- Metacentric diagram, 53–54, 424–438
- Metacentric height, 65, 75–76, 125
- Methane, 388–389
- Methodical series, 150–152, 259–260
- Midships, 11
- Midship section coefficient, 15
- Mine countermeasures ships, 408–409
- Model ship correlation line, 143
- Model testing, 93, 157–158, 189–190, 255, 411
- Modes of failure, structural, 301–303
- Modes of vibration, 442
- Modified environment, 383
- Modularisation, 5
- Moment causing unit trim, 60
- Moment distribution methods, 325
- Momentum theory, propellers, 163–165, 182
- Monohulls, 396–397
- Moskowitz's formula, 217–218
- Motion control, 260, 381
- Motion sickness, 234–236
- Motions, 251–252
- Motions in waves, 245–247, 251–252

Motion spectra, 249–250
 Moulded dimensions, 10
 Moulded displacement, 14–15
 Mould loft, 14
 Movement of weight, stability, 60–61
 Multi-hull ships, 399–400

N

Natural gas, 388–389
 Navigation in ice, 222
 Net present value, 365
 Net tonnage, 17–18
 Neutral point, 278–279, 295, 295*f*
 Nitrogen oxides, 224, 229
 Nodes, 266, 333–336
 Noise, 191–192, 227, 239, 240*r*, 273, 401–402
 No lift angle, 169
 Non-dimensional analysis, 137, 176
 Non-linear motions, 254
 Normal distribution, 215*f*, 417–418
 Notation, 443

O

Ocean wave statistics, 219, 330
 Offsets, 13–14
 Oil pollution, 22, 225
 Oil tanker, 368, 386, 391–393
 One compartment ship, 96
 One dimensional waves, 213
 Open water efficiency, 161–162, 184
 Open water tests, 179–180
 Operating in extreme cold, 223
 Operation, 6–7
 Ore/bulk/oil carriers (OBOs), 392–393
 Ore carriers, 391–393, 392*f*
 Outward turning screws, 168
 Overall hull strength, 299
 Overload fraction, 162
 Overshoot angle, 282–283
 Ozone depletion, 228

P

Paddle wheel, 195
 Paddle wheel effect, 292–293
 Panama Canal, 18, 368–369
 Panamax, 128, 369
 Parallel middle body, 14, 16, 156
 Paramarine, 356, 359–361
 Parametric rolling, 257
 Passenger certificate, 20, 28
 Passenger ships, 28, 379–393

Passive stabilisation, 261
Penelope, 153, 159
 Pentamarin, 400
 Performance, seakeeping, 254–255
 Performance standards, 31
 Period of encounter, 248–249, 248*f*
 Periods of motion, 247
 Permeability, 96–97, 96*r*
 Permissible length, 96
 Perpendiculars, 10
 Petroleum gas, 388, 390
 Phase angle, 441–442
 Pillars, 300
 Pitching, 244–245, 247
 Pitch, propeller, 165–166
 Pitch ratio, 168
 Pitting, 337
 Pivoting point, 281
 Planing craft, 4, 397
 Planned maintenance, 354
 Plimsoll, 19
 Poisson's ratio, 320
 Polar coordinates, 43–44
 Polar ice, 222
 Pollution, 5, 224–232, 386–387
 Pontoon hatches, 382
 Poppets, 117
 Power, 161–162, 252
 Presentation of data
 motions, 247–250
 propulsion, 175–180
 resistance, 150
 Pressure distribution, 171–172
 Pressure signature, 401–402
 Principal dimensions, 10*f*
 Prismatic coefficient, 15, 139, 150, 155
 Prismatic hump, 139
 Probabilistic approach, IMO, 102–106
 Probability distributions, 216, 310
 Product carrier, 385–386, 388
 Progressive speed trial, 196
 Projected area, propeller, 84
 Propeller
 azimuthing, 194
 blade sections, 167–168
 contra rotating, 194
 controllable pitch, 192
 developed blade area, 168
 diameter, 166–169
 ducted, 193
 efficiency, 164, 177
 emergence, 253

- handing, 168
 - outline, 167
 - pitch, 165–167
 - rake, 167
 - screw, 165–172
 - self pitching, 193
 - shrouded, 193
 - skew, 167
 - super-cavitating, 188
 - theories, 175
 - thrust/torque, 174–177
 - variable pitch, 192
 - vertical axis, 195
 - Propulsion, 161
 - Propulsive coefficient, 161
 - Propulsive efficiency, 161
 - Pull out manoeuvre, 284
 - Pump jets, 193–194
- Q**
- QFC factor, 162
 - Quasi propulsive coefficient, 162, 183
- R**
- Radial cross section, 401
 - Rake, hull, 13–14, 370
 - Rake, propeller, 167
 - Range of spares, 355
 - Range of stability, 79
 - Rankine-Gordon formula, 320–321
 - Rayleigh distribution, 216, 310, 340
 - Rayleigh's law, 134
 - Redundancy, 404
 - References, 413, 457
 - Refit by replacement, 354
 - Refrigerated cargo ships, 383
 - Registration of ships, 25–26
 - Regular forced oscillations, 440–442
 - Regular waves, 210–213, 245–247, 440–441
 - Regulation, 9, 19–20, 233–234, 371
 - Relative humidity, 236–237
 - Relative rotative efficiency, 162, 182
 - Reliability, 354
 - Requirements, design, 344
 - Reserve of buoyancy, 19, 50, 99–101
 - Residual stresses, 327, 411
 - Resistance
 - air, 141, 145, 147
 - appendage, 136, 144
 - augment, 182
 - calculation, 145–150
 - coefficient, 132–133
 - eddymaking, 143–144
 - experiments, 143, 150
 - form, 136
 - frictional, 136, 140–143, 153, 156–157
 - full scale, 146
 - general, 131, 133
 - pressure, 136
 - residuary, 136–137, 147–148, 150
 - scaling, 139–140, 144
 - shallow water, 154
 - viscous, 136
 - wave making, 136–140, 156
 - wind, 145
 - Resonance, 246, 441–442
 - Response amplitude operators, 248*f*, 255–256, 309
 - Reynold's number, 132–133, 141–142, 169, 176
 - Righting arm, 65, 73
 - Rigid inflatable boats, RIBs, 400
 - Rise of floor, 12, 260
 - Rolling, 243, 246
 - Roll-on/roll-off ships, 112–113, 246, 379–380, 385–391, 385*f*
 - Rotational inflow factor, 165, 172–173
 - Roughness, 142, 146, 153–154, 158, 162
 - Roughness allowance, 146
 - Round of beam, 12
 - Routeing of ships, 252
 - Rudder forces, torques, 290–292
 - Rudders, 277, 285
 - Rudder types
 - active, 286
 - azimuthing, 194, 290
 - cycloidal, 288–289
 - kitchen, 287, 289*f*
 - spade, 285, 286*f*
 - vertical axis, 287
- S**
- Safe return to port, 380–381
 - Safety, 5, 338–340, 370–377
 - Safety case, 31, 376–377
 - Sagging, 304
 - Saint Lawrence Seaway, 369
 - Salinity, 205
 - Salvage Association, 375
 - Satellites, 5, 223
 - Saturation, 236–237
 - Scale of spares, 355
 - Scaling resistance, 139–140

- Scantlings, 301
 Schlick, 271
 Schoenherr, 143, 160
 Screw propeller, 165, 178–179
 Sea ice, 222–223
 Seakeeping, 243, 255–256
 Seakeeping basin, 254–255
 Sea spectra, 258
 Sea State Code, 214, 215f
 Seaworthiness, 243
 Second moment of area, 312
 Section modulus, 311
 Section shape, 156
 Sections, two materials, 313–314
 Segmented models, 309
 Segregated ballast tanks, 386–387
 Self pitching propeller, 193
 Self propulsion point, 184
 Semi-balanced rudder, 285
 Sensible heat, 236
 Sensors, 401–403, 407–408
 Separation, 136, 144
 Service numeral, 96
 Sewage, 226
 Shaft brackets, 181
 Shaft power, 161
 Shallow water, 154
 Shearing force/stress, 304, 306, 322–323, 325
 Shear, 12
 Shifting of cargo, 82f, 393
 Ship design, 343, 379
 Ship dynamics, 439
 Ship form calculations, 33
 Ship handling, 292–294
 Shiplifts, 122–123
 Ship motions, 234–236, 243–245
 Ship resistance, 131
 Ship responses in waves, 243–245, 252
 Ship routing, 252
 Ship trials, 196–200
 Ship types, 379
 Ship vibration, 266–267
 Shock, 240–241, 274–275
 Shock trials, 275
 Short crested seas, 213
 Shrouded propellers, 193
 Sideways launching, 120
 Signatures, 401–402, 408
 Significant wave height, 208
 Simple harmonic motion, 439
 Simpson's rules, 35–40
 Simulators, 6–7
 Sinkage, 97–98
 Sinusoidal waves, 212–213, 258–259
 SI units, 414f
 Skew propeller, 167
 Skin friction, 136–137, 143
 Slamming, 238, 253, 258
 Slender body theory, 255
 Slenderness ratio, 320
 Sliding ways, 117
 Slimness, 155
 Slip, 172
 Slope deflection method, 325–326
 Small angle stability, 64, 65f
 Small Waterplane Area Twin Hull (SWATH), 396
 Smith effect, 212, 305
 S-N curves, 328
 SOLAS, 20, 106
 Sound intensity, 273
 Spade rudder, 285
 Specific resistance coefficient, 141
 Spectra, 216–219, 249, 309
 Spectral density, 216
 Speed, 196–197, 252
 Speed in waves, 252
 Speed to length ratio, 133–134
 Spiral manoeuvre, 283–284, 284f
 Spreadsheets, 44–46
 Springing, 238
 Squat, 293
 Stability
 curves, 64, 76, 78
 damaged, 94–102
 docking, 123–125
 flooded, 93, 101
 grounding, 125–129
 influence of wind, 85
 initial, 47–48, 64–67
 large angle, 73–76
 longitudinal, 66
 probabilistic approach, 102–106
 small angle, 64–67
 small craft, 93–94
 standards, 86–87, 106–108
 Stabilisers, 260–262, 395
 Stagnation point, 170–171
 Stall angle, 169
 Standard longitudinal strength calculation,
 301, 305–308, 317–319
 Standard series, 150, 179–180
 Standards of stability, 86–87
 Standard wave, 305, 332

- Standing waves, 220
 Static stability curves, 78–80
 Statistical recorders, 258, 329–332
 Statutory freeboard, 19
 Stealth, 401
 Stiff ship, 244
 Still water stresses, 303–305
 Strain, 302, 388
 Streamlines, 131, 132*f*, 143–144
 Strength, 299, 315
 Stress, 302–303
 Stress concentrations, 326
 Stress corrosion, 337
 Stress monitoring, 371
 Strip theory, 255, 308–309, 320
 Structural
 discontinuities, 326
 elements, 299, 319–324
 failure, 301–303, 372
 response, 311
 safety, 338–340
 Subdivision, 20
 Submarine escape/rescue, 401
 Submarines, 277, 294–296, 409–412, 410*f*
 Submerged bodies, 66–67, 296, 411
 Suez Canal, 18, 368
 Suezmax, 128, 369
 Sulphur oxides, 224, 229–230
 Summer freeboard, 19, 19*f*
 Supercavitation, 188–189
 Superstructure, 315, 316*f*
 Superstructure efficiency, 315–316
 Surface effect ships, 4, 397–398
 Surface piercing propeller, 193
 Surface vorticity models, 175
 Surge, 243
 Surveys, 24
 Survivability, 372–373
 Susceptibility, 401–402
 SWATH, 396, 399*f*
 Sway, 243
 Symbols, 413–416
 SZ curve, 77–78
- T**
 Table of offsets, 13–14
 Tactical diameter, 281
 Tankers, 113, 368
 Taylor, 150, 178–179
 Taylor notation, 150
 Tchebycheff's rules, 41
 Temperature, 206*r*, 236–237
 Tender ship, 244
 TEUs, 384
 Three compartment ship, 96
 Through life costs, 347
 Thrust, 172–176
 Thrust coefficient, 177
 Thrust deduction, 182
 Thrust power, 162, 174, 177–178
 Time domain simulation, 259
Titanic, 20, 107, 370
 Todd, 271
 Tonnage, 17–20
 Tonnage mark, 17–20
 Tonnes per unit immersion, 54, 58
 Torque, 176
 Torque coefficient, 177–178
 Torsion, 267, 332
 Torsional vibration, 267
 Toughness, 329, 338–339
 Towing tank, 158, 181
 Towrope power, 158
Trade Daring, 299
Training standards, 22–23
 Transfer, 281
 Transfer functions, 247, 255, 328
 Transient wave testing, 256
 Transition region, 141–142
 Transition temperature, 329
 Transmission efficiency, 162, 183
 Transport efficiency factor, 396–397
 Transverse metacentre, 50
 Transverse stability, 64–66, 80–82
 Transverse strength, 324–326, 384
 Transverse waves, 137
 Trapezoidal rule, 33–35
 Trials, 158–159, 196–200, 262
 Trim, 12–13, 54–55
 Trimaran, 355–356
 Triplets, 157
 Tripping, 321–322
Triton, 400
 Trochoidal wave, 210–211
 Troost, 180
 Tugs, 89–90, 393–395
 Tumble home, 12
 Tun, 17
 Tuning factor, 441–442
 Turbulence stimulators, 142
 Turbulent flow, 141, 142*f*
 Turning, 86, 279
 Turning circle, 280–285
 Turning rate, 281

Tween decks, 382
 Two compartment ship, 96
 Two dimensional waves, 213
 Two parameter spectrum, 218
 Type ship, 346, 349–350

U

ULCC, 386
 Ultimate strength, 302
 Undamped motions, 440
 Underwater vehicles, 296
 Unit change of trim, 56
 Unit increase of draught, 58
 Units, 413
 Unstable vessel, 283–284
 U-sections, 156

V

Vanishing stability, 79–80
 Van Lammeren, 180
 Variable pitch propellers, 192
 Variety in design, 3–5
 Vertical axis propeller, 195, 287–288, 394
 Vertical prismatic coefficient, 15
 Vibration, 237–240, 266–267, 442
 Vibration frequencies, 268r
 Vibration testing, 273
 Virtual mass, 245, 439
 Virtual reality, 6
 Viscosity, 131–132, 139–140, 176, 181, 205, 206r
 Viscous resistance, 136
 VLCC, 386
 Volatile organic compounds, 224, 230
 Vortex, 171, 188
 Vortex lattice methods, 175
 Voyage data recorders, 376
 V-sections, 156
 Vulnerability, 108–109, 353, 373–374, 403–405

W

Wake, 159, 181–182, 199–200, 202
 Wake factor/fraction, 181, 199–200, 200f
 Wall sided formula, 67–68
 Warships, 90–91, 401–412

Water ballast, 382
 Water density, 71
 Water jets, 195
 Waterlines, 9–10
 Waterplane area coefficient, 15
 Waterplanes, 9–10, 424
 Water properties, 206r
 Watertight subdivision, 371–372
 Wave making resistance, 137–140
 Waves
 abnormal, 220–221
 amplitude, 216–217
 energy, 170–171, 213, 216–219
 general, 85–86, 209
 irregular, 213–216
 number, 212
 period, 212
 pressure, 211–212
 regular, 210–213
 significant height, 208, 220
 sinusoidal, 212–213, 213f
 spectra, 216–219
 standing, 220
 statistics, 219, 254
 trochoidal, 210–211
 velocity, 211
 Weapons, 401, 403–405, 407–408
 Weber number, 132–133
 Weight movements, 61–62, 80–82
 Wet bulb temperature, 236–237
 Wetness, 252–253, 258
 Wetted surface area, 137, 148–150
 Whipping, 238, 274–275
 Whole body vibration, 236, 265
 Wind, 84–85, 90, 195, 206–209
 Wind resistance, 145
 Winterisation, 223

Y

Yaw, 243

Z

Zig-zag manoeuvre, 282–283, 283f
 Zoning, 404