



# STATICS AND MECHANICS OF MATERIALS

Barry J. Goodno

James M. Gere





# STATICS AND MECHANICS OF MATERIALS

**Barry J. Goodno**

Georgia Institute of Technology

**James M. Gere**

Professor Emeritus, Stanford University

 **CENGAGE**

Australia • Brazil • Mexico • Singapore • United Kingdom • United States



About the Authors vii

Preface ix

Symbols xviii

Greek Alphabet xx

## 1. Introduction 1

- 1.1 Fundamental Concepts: Rigid and Deformable Bodies 2
- 1.2 Newton's Laws of Motion and Gravitation 2
- 1.3 Vectors and Scalars 4
- 1.4 Systems of Units and Conversion Factors 9
- 1.5 Accuracy, Approximations, and Significant Figures 14
- 1.6 Using a Four-Step Problem-Solving Approach 17
- Chapter Summary and Review 29
- Problems 31

## 2. Forces, Moments, Resultants 35

- 2.1 Forces: 2D, 3D 36
- 2.2 Moments and Couples: 2D, 3D 59
- Chapter Summary and Review 97
- Problems 100

## 3. Equilibrium of Components and Rigid Bodies 115

- 3.1 Introduction 116
- 3.2 Free-Body Diagrams 116
- 3.3 Equilibrium in 2D and 3D 127
- 3.4 Dry Friction 157
- Chapter Summary and Review 205
- Problems 208

## 4. Structural Applications 235

- 4.1 Introduction 236
- 4.2 Plane Trusses 236
- 4.3 Space Trusses 256
- 4.4 Frames and Machines 270
- Chapter Summary and Review 289
- Problems 291

## 5. Centroids, Center of Mass, and Moments of Inertia 311

- 5.1 Introduction 312
- 5.2 Centroids of Areas, Lines, and Volumes 312
- 5.3 Centroids of Composite Bodies 320
- 5.4 Center of Mass and Center of Gravity 327
- 5.5 Theorems of Pappus 329
- 5.6 Moments of Inertia of Plane Areas and Composite Areas 332
- 5.7 Rotation of Axes for Moments of Inertia 347
- 5.8 Principal Axes and Principal Moments of Inertia 348
- Chapter Summary and Review 355
- Problems 358

## 6. Internal Effects in Bars, Shafts, Beams, and Frames 371

- 6.1 Introduction 372
- 6.2 Bars with Axial Loads 372
- 6.3 Shafts with Torsional Moments 381
- 6.4 Beams and Frames with Transverse Loads and Applied Moments 391
- Chapter Summary and Review 420
- Problems 423

## 7. Tension, Compression, and Shear 441

- 7.1 Introduction to Mechanics of Materials 442
- 7.2 Normal Stress and Strain 442
- 7.3 Mechanical Properties of Materials 451
- 7.4 Elasticity, Plasticity, and Creep 458
- 7.5 Linear Elasticity, Hooke's Law, and Poisson's Ratio 464
- 7.6 Shear Stress and Strain 470
- 7.7 Allowable Stresses and Allowable Loads 483
- 7.8 Design for Axial Loads and Direct Shear 490

- Chapter Summary and Review 494  
Problems 497
- 8. Axially Loaded Members 533**
- 8.1 Introduction 534
  - 8.2 Changes in Lengths of Axially Loaded Members 534
  - 8.3 Changes in Lengths Under Nonuniform Conditions 542
  - 8.4 Statically Indeterminate Structures 556
  - 8.5 Thermal Effects, Misfits, and Prestrains 569
  - 8.6 Stresses on Inclined Sections 588  
Chapter Summary and Review 600  
Problems 602
- 9. Torsion 637**
- 9.1 Introduction 638
  - 9.2 Torsional Deformations of a Circular Bar 638
  - 9.3 Circular Bars of Linearly Elastic Materials 641
  - 9.4 Nonuniform Torsion 654
  - 9.5 Stresses and Strains in Pure Shear 666
  - 9.6 Relationship Between Moduli of Elasticity  $E$  and  $G$  673
  - 9.7 Transmission of Power by Circular Shafts 675
  - 9.8 Statically Indeterminate Torsional Members 679
  - 9.9 Torsion of Noncircular Prismatic Shafts 683  
Chapter Summary and Review 693  
Problems 696
- 10. Stresses in Beams (Basic Topics) 717**
- 10.1 Introduction 718
  - 10.2 Pure Bending and Nonuniform Bending 718
  - 10.3 Curvature of a Beam 719
  - 10.4 Longitudinal Strains in Beams 721
  - 10.5 Normal Stresses in Beams (Linearly Elastic Materials) 725
  - 10.6 Design of Beams for Bending Stresses 738
  - 10.7 Shear Stresses in Beams of Rectangular Cross Section 748
  - 10.8 Shear Stresses in Beams of Circular Cross Section 756
  - 10.9 Shear Stresses in the Webs of Beams with Flanges 759
  - 10.10 Composite Beams 767
  - 10.11 Bending of Unsymmetric Beams 784  
Chapter Summary and Review 792  
Problems 796
- 11. Analysis of Stress and Strain 831**
- 11.1 Introduction 832
  - 11.2 Plane Stress 832
  - 11.3 Principal Stresses and Maximum Shear Stresses 840
  - 11.4 Mohr's Circle for Plane Stress 848
  - 11.5 Hooke's Law for Plane Stress 861
  - 11.6 Triaxial Stress 866
  - 11.7 Plane Strain 869  
Chapter Summary and Review 883  
Problems 886
- 12. Applications of Plane Stress 909**
- 12.1 Introduction 910
  - 12.2 Spherical Pressure Vessels 910
  - 12.3 Cylindrical Pressure Vessels 916
  - 12.4 Combined Loadings 923  
Chapter Summary and Review 946  
Problems 948
- 13. Deflections of Beams 963**
- 13.1 Introduction 964
  - 13.2 Differential Equations of the Deflection Curve 964
  - 13.3 Deflections by Integration of the Bending-Moment Equation 969
  - 13.4 Deflections by Integration of the Shear-Force and Load Equations 980
  - 13.5 Deflections by Method of Superposition 985
  - 13.6 Statically Indeterminate Beams 994  
Chapter Summary and Review 1018  
Problems 1020
- 14. Columns 1049**
- 14.1 Introduction 1050
  - 14.2 Buckling and Stability 1050

- 14.3 Columns with Pinned Ends 1058
  - 14.4 Columns with Other Support Conditions 1067
  - 14.5 Columns with Eccentric Axial Loads 1076
  - 14.6 The Secant Formula for Columns 1081
- Chapter Summary and Review 1087  
Problems 1089

**APPENDIX A: Mathematical Formulas 1109**

**APPENDIX B: Properties of Plane Areas 1117**

**APPENDIX C: Properties of Structural-Steel Shapes 1123**

**APPENDIX D: Properties of Structural Lumber 1135**

**APPENDIX E: Deflections and Slopes of Beams 1137**

**APPENDIX F: Properties of Materials 1143**

**Answer 1149**

**Index 1183**



## A

- Absolute system of units, 9
- Absolute weight, 3
- Acceleration of gravity, 3
- Accuracy of calculations, 15–17
- Allowable stress and loads, 484–489, 496
- Aluminum alloys, stress-strain diagram for, 455–456
- Aluminum beam sections, 741
- Angle between two force vectors, 56–58
- Angle of repose, 159–160
- Angle of rotation, 965, 966–967
- Angle of twist
  - per unit length (rate of twist), 640
  - noncircular cross sections and, 684–685
  - shafts (noncircular), 685–692
  - shear strain and, 639–640
  - torque and, 644–645, 656
  - torque–displacement relations, 680–683, 693
  - torsional deformation and, 639, 644–645, 693–694
  - torsional rigidity, 644
  - torsional stiffness, 644, 693
  - torsional flexibility, 644, 693
- Angle (L-shaped) sections, 1130–1133
- Anisotropic material, 467
- Apparent weight, 3
- Area
  - axis of symmetry, 313
  - bearing, 471
  - centroid of, 312–314, 317–318
  - composite bodies, 320–322, 337–342
  - curved surfaces, 314
  - irregular boundaries, 313–314
  - moments of inertia and, 313, 332–342
  - first moments of, 312, 313
  - plane areas, 312–314, 317–318, 332–337, 355
  - radius of gyration of, 333–335, 357
  - rectangular moments of inertia, 332–335, 357
  - second moments of, 312, 332
  - symmetric about an axis or a point, 313
  - theorem of Pappus for, 329–331, 356
- Associative law, 1110
- Axes
  - area symmetric about, 313
  - principal, 348–349
  - transfer of, 333–335
- Axial-displacement diagrams (ADD), 543, 545–546
- Axial-force diagrams (AFD), 375–380, 542–543, 545

## Axial loads

- bars, 372–380
  - bending moment and, 1079
  - columns, 1076–1081, 1088
  - deflection and, 1077–1079
  - distributed, 372–374, 420
  - eccentric, 1076–1081, 1088
  - intermediate, 542–543
  - internal forces from, 372–374
  - length changes from, 542–543
  - line of action for, 446–447
  - linearly varying, 373
  - prismatic bars, 443–451, 542–543
  - relationship between internal axial force and, 374–375, 420
  - sign convention for, 373–374
  - strain and, 445–451
  - stress and, 443–444, 446–451
  - uniaxial stress and strain and, 446
  - uniform, 372–373
- Axially loaded members, 372, 533–636
  - axial-displacement diagrams (ADD) for, 545–556, 600
  - bars, 372–375, 420, 443–451, 544–545, 600
  - bolts, 581
  - cables, 536–537, 600
  - force-displacement relations, 544–546, 557–558, 600
  - inclined sections, 588–599, 601
  - intermediate axial loads on, 542–543
  - length changes of, 534–569, 600
  - misfits and, 569, 580–581, 601
  - nonuniform condition length changes, 542–556
  - prestrains and, 569, 580–581, 601
  - prismatic bars, 443–451, 535–536, 542–543, 600
  - prismatic segments, 543–544
  - springs, 534–535, 584–587
  - statically determinate structures, 533–556, 600
  - statically indeterminate structures, 556–569, 601
  - stresses and, 570–571, 588–599, 601
  - structural components as, 372, 533
  - tension or compression of, 372, 533, 600
  - thermal effects and, 569–580, 601
  - turnbuckles, 581–584
  - varying loads or dimensions, 544–545
- Axis, moments about, 69–75
- Axis of symmetry, 313, 344–345, 349–350
  - centroid location on, 313
  - moments of inertia and, 344–345, 349–350
  - plane areas, 313, 344–345

- principal axis as, 349
- principal points and, 349–350
- product of inertia, 344–345

## B

- Balanced design, 783–784
- Ball-and-socket joints, 256, 289
- Bars. *See also* Circular bars; Prismatic bars; Shafts; Tubes
  - axial-force diagrams (AFD), 375–380, 421
  - axially loaded members, 372–375, 420, 443–451
  - distributed axial loads, 372–374, 420
  - internal forces in, 372–374, 420
  - relationship between loads and internal axial force, 374–375, 420
  - sign convention for, 373–374, 420
- Base units, 10–12
- Beam-column, 1079
- Beam deflection tables, 986, 1137–1142
- Beams
  - angle of rotation, 965, 966–967
  - bending, 718–722, 727–728, 770–771, 784–791, 792, 795
  - bending moments, 396–398, 400, 421, 784–786
  - bending stresses, 738–748
  - cable-supported, 122–123, 132
  - cantilever, 392, 995–996
  - circular cross sections, 729, 741, 756–759, 793
  - classification of, 391–392
  - composite, 767–784, 794
  - concentrated loads on, 394, 398, 401, 402–404, 405–406
  - continuous, 997
  - coordinate axes, 718
  - couple moments, 394, 401
  - cross sections, 721–729, 739–741, 748–759, 793
  - curvature, 718–720, 723–727
  - deflection curve, 718, 719–720, 964–969, 998–1004
  - deflection of, 718–727, 792, 963–1047
  - design of, 392
  - designation (standardized shape and size), 739–741
  - differential equations for, 964–985, 998–1004
  - distributed loads on, 394–395, 398–400, 987–988
  - doubly symmetric shapes, 728–729, 769



Beams (*continued*)

- fixed-end, 996-997
  - flanged, 741, 759-766, 794
  - flexural rigidity, 727
  - flexure formula for, 727-728, 770, 792
  - free-body diagrams for, 122-123
  - idealized models, 392-394
  - internal forces in, 396-397
  - linearly elastic material, 725-738
  - longitudinal strains in, 721-725
  - method of superposition for, 985-994, 1004-1017
  - moment-curvature relationships, 726-727, 769-770, 777, 792
  - overhang, 393, 407-411
  - plane of bending, 391-392
  - prismatic, 968
  - rectangular cross sections, 729, 740, 748-756, 793
  - reinforced concrete, 771
  - relationships between loads, shear forces, and bending moments, 397-401
  - relative efficiency of, 740-741
  - sandwich, 767, 770-771
  - shear-force and bending-moment diagrams, 401-419, 422
  - shear force in, 396-399, 421, 761-762
  - shear formula for, 749-752, 792, 793
  - shear strain effects on, 753
  - shear stresses, 748-766, 793-794
  - sign convention for, 396-397
  - simply supported (simple), 392, 411-414, 1140-1142
  - slopes of deflection curve, 1137-1142
  - static determinacy of, 132
  - statically determinate, 963-994, 1018
  - statically indeterminate, 994-1017, 1019
  - stresses in, 717-830
  - structural steel shape properties, 1123-1133
  - supports for, 392-393
  - transformed-section method, 776-784, 795
  - transverse loads on, 391
  - uniform loads, 394, 404-405
  - unsymmetric, 784-791, 795
  - webs, 741, 759-766, 794
- Bearing area, 471
- Bearing stress, 470-472, 495
- Belt friction, 197-204
- Bending
- approximate theory for, 770-771
  - beams, 718-722, 727-728, 770-771, 784-791, 792, 795
  - cross sections of deformation from, 721-722
  - curvature from, 719-720
  - flexure formula for, 727-728, 770, 792
  - nonuniform, 718-719
  - plane of, 718, 792
  - pure, 718-719, 721-722
  - sandwich beams, 770-771
  - unsymmetric beams, 784-791, 795
- Bending-moment equations, 968-979, 1059-1060
- Bending moments
- beams, 396-398, 400, 421
  - columns, 1079
  - eccentric axial loads and, 1079
  - force-couple systems and, 78
  - relationships between loads, shear forces, and, 397-398, 400
  - shear force and, 396-398, 421
  - sign convention for, 396-397
  - unsymmetric beams, 784-786
- Bending stress
- beam design for, 738-748
  - beam designations (standardized), 739-741
  - cross sections and, 740-741
  - relative efficiency and, 740-741
  - section modulus for, 738-739
- Biaxial stress, 837, 845, 863, 864, 867
- Blocks, wedges between, 185-187
- Bolts, 470-473, 581
- Boundaries, area with irregular, 313-314
- Boundary conditions for integration, 969
- British Imperial System of units, 9
- Brittle materials, stress-strain diagram for, 456, 495
- Buckling, 1050-1057, 1059-1064, 1087
- bending-moment equation, 1059-1060
  - critical load for, 1051-1052, 1058-1059, 1061-1062, 1087-1088
  - critical stress for, 1063-1064
  - differential equation for, 1059-1061
  - Euler load, 1062, 1087
  - fundamental case of, 1062
  - idealized structure for, 1050-1057
  - mode shapes, 1061-1062, 1087
  - neutral equilibrium and, 1052-1053
  - pinned-end columns, 1061-1063
  - stability and, 1050-1057
- Buckling equation, 1061, 1069, 1073

## C

- C-shaped (channel section) beams, 740, 1128-1129
- Cable-supported beams, 122-123, 132
- Cables
- effective (metallic) area of, 536
  - effective modulus of, 537
  - elongation of, 536-537, 600
  - properties of, 537
  - strand construction of, 536-537
  - truss cross bracing with, 241-242, 290
- Camber, 460
- Cantilever beams, 392, 995-996, 1137-1139
- Center of curvature, 719-720, 965
- Center of gravity, 312, 328-329, 354
- Center of mass, 312, 327-328, 356
- Centroidal axes, 787-789, 1063
- columns, 1063
  - nonprincipal, 788-789
  - principal, 787-788
  - unsymmetric beam analysis, 787-789
- Centroids, 311-370
- areas, 312-314, 317-318, 320-322, 332-335
  - axis of symmetry for, 313, 355
  - center of gravity and, 312, 328-329, 356
  - center of mass and, 312, 327-328, 356
  - composite bodies, 320-327, 329, 337-342, 356
  - coordinates of, 321, 322
  - curved surfaces, 314
  - lines, 314, 315-316, 322, 356
  - moments of inertia and, 321, 332-357
  - parallel-axis theorem, 335-337, 343-346, 357
  - plane areas, 312-314, 317-318, 355
  - theorems of Pappus, 329-331, 357
  - volume, 314, 318-320, 322, 356
- Channel (C-shaped) cross sections, 684, 687, 1128-1129
- Circular bars. *See also* Tubes
- angle of twist, 639, 644-645, 684-685, 693-694
  - linearly elastic materials, 641-653
  - polar moment of inertia for, 643
  - pure torsion, 638-639
  - shear strains at outer surface, 639-641, 693
  - shear strains within, 641
  - shear stress distribution in, 642-644, 693-694
  - torsion formula for, 643-644, 693
  - torsional deformation of, 638-653, 693-694
- Circular cross sections, 729, 741, 756-759, 793
- beams, 729, 756-759, 793
  - bending stresses, 741
  - hollow, 757
  - moment of inertia, 729
  - normal stresses, 729
  - relative efficiency of, 741
  - section modulus, 729, 741
  - shear formula for, 757
  - shear stress in, 756-759, 793
- Circumferential (hoop) stress, 916-917
- Coefficient of thermal expansion, 570, 1147
- Coefficients of friction, 158-160
- Coil springs, 534-535
- Collinear members, 241
- Columns, 1049-1107
- buckling, 1050-1057, 1059-1062, 1087
  - buckling equation for, 1061, 1069, 1073
  - compressive stresses in, 1081-1082
  - critical load for, 1051-1052, 1058-1059, 1061-1062, 1070, 1087-1088



- critical stress of, 1063–1064, 1083  
 cross sections, 1063–1064  
 deflection effects on, 1064–1065, 1077–1079  
 differential equations for, 1059–1060, 1068  
 eccentric axial loads, 1076–1081, 1088  
 effective length of, 1070–1071, 1073–1074, 1087  
 Euler buckling load, 1062, 1087  
 Euler's curve, 1064  
 fixed at base and free at top, 1068–1070  
 fixed at base and pinned at top, 1072–1073  
 fixed at both ends, 1071  
 imperfections and, 1064–1065  
 inelastic behavior of, 1064–1065  
 load-deflection diagrams for, 1064–1065, 1078  
 neutral equilibrium of, 1052–1053, 1058–1059  
 optimum shapes of, 1065  
 pinned ends, 1058–1067, 1076–1079  
 secant formula for, 1081–1086, 1089  
 slenderness ratio, 1064  
 stability of, 1050–1059  
 support conditions, 1058–1076, 1079, 1087
- Combined loadings, 923–945, 947  
 Commutative law, 1110  
 Compatibility equations, 557, 680, 694, 1005  
 Composite beams, 767–784, 794  
 approximate theory for bending, 770–771  
 doubly symmetric, 769  
 flexure formulas for, 770  
 general theory for, 767  
 moment-curvature relationships, 769–770, 777  
 neutral axis of, 769, 776–777  
 reinforced concrete beams, 771  
 sandwich beams, 767, 770–771  
 strains in, 767–768  
 stresses in, 767–768, 770, 777–778  
 transformed-section method, 776–784, 795
- Composite bodies, 320–327, 337–342, 356  
 areas, 320–322, 337–342  
 center of gravity of, 329  
 center of mass of, 327–328  
 centroid of, 320–327, 356  
 cutouts for analysis of, 321–322, 337–338  
 lines, 322  
 moments of, 320–322  
 moments of inertia of, 337–342  
 volume, 322
- Composites, stress-strain diagram for, 457  
 Compression, stress-strain diagram for, 457  
 Compression test, 452  
 Compressive stress and strain, 444–445, 1081–1082  
 Concentrated loads  
 beams, 394, 398, 401, 402–404, 405–406  
 relationships between shear forces, bending moments, and, 401  
 several acting on single beam, 405–406  
 shear-force and bending-moment diagrams, 402–404, 405–406
- Concurrent force, 38, 42–44, 50–54  
 parallelogram law for, 38, 42–43  
 polygon law for, 43–44, 83  
 resultant force of, 50–54  
 triangle law for, 38
- Constants of integration, 1060–1061  
 Constraints, *see* Support conditions  
 Container cranes, static equilibrium analysis of, 124–125, 132–133  
 Continuity equations for integration, 970  
 Continuous beams, 997  
 Conversion factors, 12–13  
 Coordinate axes, 718  
 Coordinates of centroids, 321, 322  
 Coplanar force, 38  
 Couples  
 beam loads and, 394, 401  
 force-couple system, 76–82, 99  
 moment of, 76–82, 394, 401, 638  
 right-hand rule for, 638  
 torsion and, 638
- Creep, 459–460, 495  
 Critical load  
 buckling and, 1051–1052  
 columns, 1051–1052, 1058–1059, 1061–1062, 1087–1088  
 fixed columns, 1070, 1071, 1073–1074  
 pinned-end columns, 1058–1059, 1061–1062  
 stability and, 1051–1052, 1058–1059
- Critical points, 925–926  
 Critical stress, 1063–1064, 1083  
 Cross bracing, 241–242  
 Cross product, 59–61, 1111–1112  
 Cross sections  
 beams, 721–729, 740–741, 748–759, 769, 793  
 bending stresses and, 740–741  
 centroidal axis, 787–789, 1063  
 centroids of, 787–789  
 circular beams, 729, 741, 756–759, 793  
 columns, 1063  
 composite beams, 769, 776–777  
 deformation from pure bending, 721–722  
 doubly symmetric shapes, 728–729, 769  
 ideal shape, 741  
 linearly elastic materials, 725–727  
 maximum stresses at, 728  
 moment of inertia, 727  
 neutral axis, 722, 726, 769, 776–777, 785–786  
 neutral surface, 722  
 noncircular shafts, 684–687  
 normal stresses and, 725–727  
 radius of gyration, 1063  
 rectangular beams, 729, 740–741, 748–756, 793  
 relative efficiency of, 740–741  
 section moduli, 728–729, 740–741  
 transformed-section method, 776–777  
 unsymmetric beams, 785–789
- Curvature  
 beam deflection and, 718–727, 964–969  
 bending and, 719–725, 785–786  
 center of, 719–720, 965  
 deflection curve, 719–720, 964–969  
 deformation and, 964–966  
 equation of, 720  
 exact expression for, 968–969  
 linearly elastic material, 725–727  
 longitudinal strain and, 721–725  
 moment-curvature relationships, 726–727, 792  
 radius of, 719, 965  
 sign convention for, 720, 727, 785–786, 965–966  
 strain-curvature relation, 722  
 unsymmetric beams, 785–786
- Curved surfaces, centroid of, 314  
 Cutouts of composite bodies, 321–322, 337–338  
 Cylindrical pressure vessels, 916–923, 946–947  
 circumferential (hoop) stress, 916–917  
 inner surface stresses, 918  
 longitudinal (axial) stress, 917  
 outer surface stresses, 917–918  
 plane stress applications, 916–923, 946–947  
 thin-walled, 916, 946
- D**  
 Deflection. *See also* Bending; Buckling  
 beams, 718–727, 792, 963–1047  
 bending-moment equations for, 968–979, 1059–1060  
 columns, 1064–1065, 1077–1079  
 curvature and, 718–727, 964–969, 998–1004, 1018  
 differential equations for, 964–985, 998–1004, 1018–1019, 1059–1060  
 displacement as, 964  
 integration of equations for, 969–985  
 eccentric axial loads and, 1077–1079  
 linearly elastic material, 725–727  
 longitudinal strain and, 721–725  
 method of superposition for, 985–994, 1004–1008, 1018–1019  
 nonprismatic beams, 967–968



- Deflection** (*continued*)  
 plane of bending, 718, 792  
 prismatic beams, 968  
 redundant reactions, 1005–1008, 1019  
 shear-force and load equations for, 968, 980–985  
 sign convention for, 964  
 slopes of beams and, 1137–1142  
 statically determinate beams, 963–994, 1018  
 statically indeterminate beams, 994–1017, 1019  
 strain–curvature relation, 722
- Deflection curve**  
 angle of rotation for, 965, 966–967  
 beams, 718, 719–720, 964–969, 1018, 1137–1142  
 bending of, 718  
 center of curvature, 719–720, 965  
 columns, 1060, 1077  
 differential equations for, 964–969, 1018, 1060  
 equations of, 964–966  
 nonprismatic beams, 967–968  
 prismatic beams, 968  
 radius of curvature, 719, 965  
 sign convention for curvature, 965–966  
 slope of, 965–966  
 statically determinate beams, 964–969  
 statically indeterminate beams, 994–1004
- Deformable bodies, 2**
- Deformation**  
 angle of twist and, 639, 644–645  
 beam elements, 397  
 circular bars, 638–653, 693–694  
 internal axial force and, 373–374  
 internal torsional moment and, 382  
 sign conventions, 373–374, 382, 397  
 torsional, 638–653, 693–694
- Derivatives, 1114–1115**
- Derived units, 10**
- Design of structures, 490–493, 496.**  
*See also Strength*
- Determinacy, see Static determinacy**
- Differential equations**  
 angle of rotation and, 965, 966–967  
 bending-moment equations, 968–979, 1059–1060  
 column buckling, 1059–1061  
 constants of integration, 1060–1061  
 curvature of beams, 964–969, 1018  
 deflection and, 964–969, 998–1004, 1018–1019  
 deflection curve, 964–969, 1018, 1060, 1137–1142  
 differential equations for, 963–985  
 exact expression for curvature, 968–969  
 fixed columns, 1068  
 integration of, 969–985  
 nonprismatic beams, 967–968  
 pinned-end columns, 1059–1061  
 prismatic beams, 968  
 shear-force and load equations, 968, 980–985
- Dimensional homogeneity, 15**
- Direct shear, 473**
- Direction, vector notation for, 4**
- Direction cosines, 6, 97, 1111**
- Distortion, shear strain as, 474**
- Distributed loads**  
 axial, 372–374, 420  
 bars, 372–374, 420  
 beams, 394–395, 398–400, 421, 987–988  
 deflection from, 987–988  
 method of superposition for, 987–988  
 relationships between shear forces, bending moments, and, 398–400  
 shafts, 381–382, 420  
 torsional moments, 381–382, 420
- Dot product, 54, 98, 1111**
- Double-acting turnbuckle, 581**
- Double shear, 471, 473**
- Doubly symmetric shapes, 728–729, 769**
- Dry friction, 157–197, 207**  
 angle of repose, 159–160  
 coefficients of, 158–160  
 equilibrium equations for, 161–164  
 flexible belts and, 197–204  
 friction force, 157, 207  
 impending motion and, 158–159  
 kinetic friction, 158, 159–161, 207  
 rolling up an incline, 164  
 rotational motion and, 163–164, 180–183  
 screws and, 192–197  
 sliding versus overturning, 160–163, 165–176  
 slipping, 164, 177–179  
 static friction, 158–159, 207  
 traction and, 163  
 wedges and, 184–192
- Ductility, stress-strain diagram for, 455–456, 494**
- Dynamic test, 452**
- Dynamics, study of, 2**
- E**
- Eccentric axial loads, 1076–1081, 1088**  
 columns, 1076–1081, 1088  
 deflection curve from, 1077  
 differential equation for, 1077  
 maximum bending moment, 1079  
 maximum deflection from, 1077–1079
- Eccentricity ratio, 1082**
- Effective (metallic) area, cables, 536**
- Effective length of columns, 1070–1071, 1073–1074, 1087**
- Effective modulus, cables, 537**
- Elastic limit, 458–459, 495**
- Elastic region, 458–459, 495**
- Elasticity, 458–470, 494–495**  
 Hooke's law for, 464–465, 475, 494  
 linear, 464–470, 475, 494  
 loading and unloading material and, 458, 495  
 material behavior of, 458  
 modulus of, 465  
 partially elastic behavior, 458, 495  
 permanent set, 458, 495  
 Poisson's ratio for, 465–466, 475, 495  
 reloading material and, 459  
 residual strain, 458  
 stress-strain diagrams for, 458–464  
 Young's modulus, 465
- Elliptical cross sections, 684, 685–686**
- Elongation. See also Strain**  
 axial, 465, 495  
 cables, 536–537, 600  
 creep, 459  
 ductility and, 456  
 flexibility (compliance) and, 534–535, 536  
 linear elastic materials, 465, 495, 534  
 measurement of, 452  
 per unit length (strain), 445  
 percent, 456  
 permanent set, 458  
 Poisson's ratio for, 465, 495  
 prismatic bars, 535–536, 540–543, 600  
 springs, 534–535, 538–539  
 stiffness (spring constant) and, 534, 536  
 tapered bars, 544–545  
 yielding, 454
- Engineering principles, 1–34**  
 accuracy of calculations, 15–17  
 conversion factors, 12–13  
 deformable bodies, 2  
 dimensional homogeneity, 15  
 dynamics, 2  
 Newton's laws, 2–4  
 numerical problems, 14–15  
 problem solving, 14–15, 17–28  
 rigid bodies, 2  
 scalars, 4  
 statics, 2  
 symbolic problems, 14  
 units, 9–13  
 vectors, 4–9
- Equations of compatibility, 557, 680, 694, 1005**
- Equations of equilibrium**  
 beam deformation, 679–680, 1005  
 dry friction, 161–164  
 scalar form of, 116–117  
 superposition and, 679–680, 1005  
 torsional members, 679–680  
 vector form of, 116
- Equilibrium**  
 constraints (support conditions) and, 127–130  
 evaluation of in structures, 116, 270–271  
 free-body diagrams for analysis, 116–117, 122–127, 206  
 independent equations of, 130–131, 206  
 neutral, 1052–1053, 1058–1059  
 Newton's first law and, 2–3  
 pinned-end columns, 1058–1059  
 stable, 1058



stability and, 128–130, 206, 1052–1053, 1058–1059  
 static analysis, 116–157, 205–207  
 static determinacy and, 117, 131–134, 206  
 static equations for analysis, 116–117, 127–128, 205  
 statically indeterminate structures, 556–558, 679–680  
 three-dimensional problems, 144–157  
 two-dimensional problems, 130–131, 134–144

Euler buckling, 1062. *See also* Buckling  
 Euler buckling load, 1062, 1087  
 Euler's curve, 1064, 1083  
 Exponents, 1113  
 Extensometer, 452  
 External forces, 3, 36–37

## F

Factor of safety, 483–484, 496  
 Filament-reinforced material, 457  
 Fixed columns, 1058–1076, 1079, 1087  
   critical load for, 1070, 1071, 1073–1074  
   differential equations for, 1068–1070, 1072  
   eccentric axial loads on, 1079  
   effective length of, 1070–1071, 1073–1074  
   fixed at base and free at top, 1068–1070  
   fixed at base and pinned at top, 1072–1073  
   fixed at both ends, 1071  
 Fixed-end beams, 996–997  
 Fixed support, 120, 205, 392  
 Fixed vector, 4  
 Flanges, 741, 759–766, 794  
 Flat belts, 197–199  
 Flexibility (compliance), 534–536, 644  
 Flexible belts, *see* Belts  
 Flexural rigidity, 727, 1063  
 Flexure formula, 727–728, 770, 792  
 Fluid friction, 158  
 Force

  along a line, 54–55  
   angle between two vectors, 56–58  
   components of, 40–49, 54–55  
   concurrent, 38, 83  
   coplanar, 38  
   external, 3, 36–37  
   frame analysis of, 270, 272–273  
   free-body diagrams for, 117–121  
   friction, 157, 207  
   internal, 3, 36–37, 270, 272–273, 396–397  
   Newton's third law and, 3  
   nonconcurrent, 83–85  
   parallel, 85–88  
   parallelogram law for, 38, 42–43  
   pin-connection forces, 271–272  
   polygon law for, 43–44, 83  
   principle of transmissibility for, 37  
   reaction, 117–121

  resultant of system of, 50–54, 83–96  
   shear, 396–399, 421  
   statics sign convention for, 117  
   support conditions and, 117–121  
   three-dimensional (3D), 36, 44–49  
   triangle law for, 38  
   two-dimensional (2D), 36, 40–44  
   types of, 36–40  
   units of, 9, 11–12  
   vector summation approach, 44–45, 83

Force-couple system, 76–82, 99  
 Force diagrams, 193–194  
 Force–displacement relations, 544–546, 557–558, 600, 1005  
 Force equilibrium, 50–54  
 Frames. *See also* Beams  
   axial-force diagram (AFD) for, 415–419  
   determinacy of, 273–274  
   equilibrium analysis for, 270–271  
   internal forces of, 270, 272–273  
   joint connections in, 290, 271–272  
   multi-force members of, 270, 290  
   pin-connection forces, 271–272  
   shear-force and bending moment diagrams for, 415–419  
   stability of, 273–274  
   structural analysis of, 270–282, 290  
 Free-body diagrams  
   applications of, 123–127  
   cable-supported beams, 122–123  
   conceptualization and, 116–127  
   equilibrium equations for, 116–117  
   importance of, 117  
   plane trusses, 122  
   reactive forces and, 3, 117–121  
   static equilibrium analysis using, 117, 122–127, 206  
   statics sign convention for, 117  
   support conditions, 117–121  
 Free vector, 4–5, 76  
 Friction, 158–159. *See also* Dry friction  
 Friction coefficients, 158–160  
 Friction force, 157, 207, 472

## G

Gage length, 452  
 Gage pressure, 910  
 Glass fibers, 456  
 Gravitation, Newton's law of, 3  
 Gravitational system of units, 9  
 Gravity, 3  
 Gusset-plate connections, 237–238

## H

Homogeneous material, 446, 466–467  
 Hooke's law  
   biaxial stress, 863, 864, 867  
   inclined sections, 861–865  
   linear elastic materials and, 464–465, 494, 496, 642  
   modulus of elasticity for, 465  
   modulus of rigidity for, 475  
   plane stress, 861–865

  pure shear and, 475, 496  
   shear stress, 464–465, 475, 642, 862  
   shear stress-strain diagrams using, 475  
   triaxial stress, 867  
   uniaxial stress, 863, 864  
   volume change and, 863–864  
 Hydrostatic stress, 869, 885

## I

I-beams, 684, 687, 739–740, 1126–1127  
 Ideal column, 1058  
 Impending motion, 158–159  
 Imperfection in columns, 1064–1065  
 Inclined planes, torsion effects in pure shear, 666–673  
 Inclined sections  
   axially loaded members, 588–599, 601  
   biaxial stress on, 837, 845, 863, 864, 867  
   determination of stresses on, 589–592  
   Hooke's law for, 861–865, 867, 884  
   maximum normal and shear stresses, 592–594  
   Mohr's circle for, 848–861, 866, 876, 884, 885  
   plane strain on, 869–882, 885  
   plane stress on, 832–865, 869–871, 877, 883–884  
   stress elements, 588–599, 601  
   transformation equations for, 835–839, 848–849, 871–875, 883, 885  
   triaxial stresses on, 866–869, 885  
   uniaxial stress on, 594, 836, 845, 863, 864  
   unit volume change (dilatation), 864, 867, 885  
 Independent equations of equilibrium, 130–131, 206  
 Inelastic behavior of columns, 1064–1065  
 Infinite series, 1114  
 In-plane principal stress, 842–843  
 In-plane shear stress, 845  
 Integrals, 1115–1116  
 Integration of differential equations, 969–985  
   bending-moment equations, 969–979  
   boundary conditions for, 969  
   continuity equations for, 970  
   deformation and, 969–985  
   load equations, 980–985  
   method of successive integrations, 970–979  
   shear-force equations, 980–985  
   symmetry conditions for, 970  
 Internal elements  
   bars, 372–380, 420–421  
   beams, 391–419, 421–422  
   shafts, 381–391, 420–421  
   static determinacy and, 372, 420



- Internal forces.** *See also* Shear-force and bending-moment diagrams  
 analysis of, 36–38  
 axial, 372–380  
 axial-force diagrams (AFD), 375–380  
 bars, 372–380  
 beams, 396–397  
 bending moments and, 396–397  
 frames, 270, 272–273  
 Newton's third law and, 3, 373  
 relationship between loads and, 374–375, 397–400, 420  
 resultants of, 37–38  
 shear, 396–397  
 sign convention for, 373–374, 396–397  
 structural analysis and, 270, 272–273
- Internal friction,** 158
- International System (SI) of units,** 9, 10–11
- Isotropic material,** 467, 495
- J**
- Joint connections**  
 ball-and-socket, 256, 289  
 frames, 270, 271–272, 290  
 gusset-plates, 237–238  
 pins, 237–238, 271–272, 289, 290  
 trusses, 237–238, 257, 289
- Journal bearing,** 121
- K**
- Kinetic friction,** 158, 159–161, 207
- L**
- L-shaped (angle section) beams,** 740, 1130–1133
- Lateral contraction,** 454, 465, 495
- Lateral strain,** 465–466
- Laws of sines and cosines,** 97
- Length.** *See also* Elongation  
 changes of axially loaded members, 534–569, 600–601  
 nonuniform conditions and, 542–556  
 prismatic bars, 542–556  
 tapered bars, 545  
 statically determinate structural changes, 533–556, 600  
 statically indeterminate structural changes, 556–569, 601  
 units of, 10–12
- Line of action,** 446–447
- Linear elasticity**  
 angle of twist for, 644–645  
 axial elongation and, 465, 495, 534  
 beams, 725–738  
 circular bars, 641–653  
 flexure formula for, 727–728  
 Hooke's law for, 464–465, 475, 494, 642  
 lateral contraction and, 465  
 modulus of elasticity (Young's modulus) and, 465  
 modulus of rigidity and, 475  
 moment–curvature relation, 726–727  
 Poisson's ratio for, 465–466, 475, 495  
 shear stress and, 475, 642  
 stresses and, 725–738  
 torsion formula for, 643–644  
 torsional deformation and, 641–653  
 tubes, 645–646
- Linear region,** 453
- Linearly varying loads,** 373, 382
- Lines**  
 centroid of, 314, 315–316, 322, 356  
 composite bodies, 322  
 forces along, 54–55
- Load–deflection diagrams,** 1064–1065, 1078
- Load equations,** 968, 980–985
- Loads**  
 analysis for structural design, 490–493  
 allowable, 485–490, 496  
 axial, 372–374, 420  
 bars, 372–374, 420  
 beams, 394–395, 398–400, 404–406, 421  
 columns, 1076–1081, 1088  
 concentrated, 394, 398, 401, 402–404, 405–406  
 couples (moments) as, 394, 401  
 distributed, 372–374, 381–382, 394–395, 398–400, 420  
 eccentric axial, 1076–1081, 1088  
 linearly varying, 373, 382  
 relationship between internal axial force and, 374–375, 420  
 relationship between internal torsional moments and, 383  
 relationships between shear forces, bending moments, and, 397–401  
 shafts, 381–382, 420  
 torsional moment, 381–382, 420  
 uniform, 372–373, 394, 404–405  
 units for, 11
- Logarithms,** 1113
- Longitudinal (axial) stress,** 917
- Longitudinal strain,** 721–725
- Lumber properties,** 1135
- M**
- Machines,** 270–274, 282–288, 290.  
*See also* Cranes; Frames
- Magnitude,** 4, 443
- Margin of safety,** 484
- Mass,** 3–4, 10–12
- Mass density,** 1144
- Mathematical constants,** 1112–1113
- Mathematical formulas,** 1109–1116
- Mean diameter,** 192
- Mechanical properties,** 451–458, 1146–1147  
 aluminum alloys, 455–456  
 brittle materials, 456, 496  
 composites, 457  
 compression, 457  
 compression test for, 452  
 ductility, 455, 456, 494, 496  
 elasticity, 458–470, 495  
 elongation, 456  
 Hooke's law for, 464–465, 494  
 lateral contraction, 454  
 linear elasticity, 464–470, 494  
 material behavior and, 451  
 necking, 454  
 perfectly plastic, 454  
 plasticity, 458–464, 495  
 plastics, 457  
 Poisson's ratio for, 465–466, 495  
 rubber, 456  
 strength and, 454, 483–489, 496  
 strain hardening, 454  
 stress-strain diagrams, 452–464  
 structural steel, 453–455  
 tables for, 457–458, 1146–1147  
 tensile test for, 452  
 yielding, 454, 496
- Mechanics of materials,** 441–532  
 allowable stress and loads, 483–489, 496  
 anisotropic material, 467  
 creep, 459–460, 495  
 elasticity, 458–470, 495  
 factor of safety, 483–484, 496  
 homogeneous material, 446, 466–467  
 Hooke's law for, 464–465, 475, 494  
 isotropic material, 467, 495  
 linear elasticity, 464–470, 494  
 loading and unloading materials, 458, 495  
 mechanical properties, 451–464  
 plasticity, 458–464, 495  
 Poisson's ratio for, 465–466, 495  
 relaxation, 459, 495  
 reloading materials, 459  
 shear stress and strain, 470–483, 495–496  
 strain, 445–446  
 stress, 442–451  
 stress-strain diagrams, 452–464  
 structural design and, 490–493, 496  
 study of, 442
- Membrane stresses,** 911
- Method of joints,** 238–247, 258–264, 289
- Method of sections,** 247–256, 260–261, 264–270, 289
- Method of successive integrations,** 970–979
- Method of superposition,** 985–986, 1018. *See also* Superposition
- Metric system,** 9
- Misfits,** 569, 580–581, 601, 694
- Mobile construction cranes,** 125–126, 132–133
- Mode shape,** 1061–1062, 1087
- Modular ratio,** 776
- Modulus of elasticity ( $E$ ),** 454, 465, 673–674, 1145
- Modulus of rigidity ( $G$ ),** 475, 673–674
- Mohr's circle**  
 construction of, 849–851  
 inclined sections, 848–861, 866, 876, 884, 885  
 moments of inertia, 351–354, 357



- plane strain on, 876  
 principal stresses on, 852  
 shear stresses on, 853  
 stresses on, 851–852  
 transformation equations for, 848–849  
 triaxial stress, 866, 885  
 upward and downward forms of, 849
- Moment–curvature relationships**  
 beams, 726–727, 769–770, 777, 792  
 composite beams, 769–770, 777  
 linear elasticity and, 726–727  
 stresses and, 726–727  
 transformed-section method and, 777
- Moments.** *See also* Moments of inertia;  
 Torque  
 about a point, 59–63  
 about an axis, 69–75  
 area, of a, 313  
 bending, 78, 396–398, 400, 421  
 couples, 76–82, 394, 401, 638  
 cross product, 59–61  
 first moments of area, 312, 313  
 force-couple system, 76–82  
 principle of, 84  
 right-hand rule for, 59  
 second moments of area, 312, 332  
 three-dimensional problems, 60–61  
 torsional, 78, 381–391  
 triple scalar product, 69–70  
 twisting, 638  
 two-dimensional problems, 59–60  
 Varignon's theorem, 64–69
- Moments of inertia**  
 axis of symmetry and, 344–345, 349–350  
 beam curvature and, 727–729  
 centroids and, 321, 332–357  
 composite areas, 337–342, 357  
 doubly symmetric shapes, 729  
 linear-elastic materials, 727–729  
 Mohr's circle for, 351–354, 357  
 parallel-axis theorem for, 335–337, 343–346, 357  
 plane areas, 332–337  
 polar, 342–344, 357  
 principal axes, 348–349, 351–354, 357  
 principal moments, 350–354, 357  
 principal points, 349–350  
 product of inertia, 344–346, 357  
 radius of gyration and, 333–335, 357  
 rectangular, 332–335, 357  
 rotation of axes for, 347–348, 357  
 transformation equations for, 347–348
- Multi-force members**, 270, 290
- N**  
 Natural length, 534  
 Necking, 453–454  
 Neutral axis, 722, 726, 769, 776–777, 785–786  
 Neutral equilibrium, 1052–1053, 1058–1059  
 Neutral surface, 722  
 Newton's laws, 2–4, 373  
 Nominal stress and strain, 453  
 Noncircular prismatic shafts, 683–692.  
*See also* Shafts  
 Nonconcurrent forces, 83–85  
 Nonprismatic beams, deflection of, 967–968  
 Nonuniform bending, 718–719  
 Nonuniform torsion, 654–665  
 Normal strain, 445, 722  
 Normal stress, 442–445, 833  
 Numerical problems, 14–15
- O**  
 Offset method, 455–456, 494  
 Offset yield stress, 455–456  
 Optimization, structural design for, 490  
 Out-of-plane shear stress, 845  
 Overhang beams, 393, 407–411  
 Overturning, sliding versus, 160–163, 165–176
- P**  
 Pappus, theorems of, 329–331, 356  
 Parallel-axis theorem, 335–337, 343–346, 357  
 moments of inertia and, 335–337, 343–346, 357  
 plane areas, 335–337  
 polar moments of inertia and, 343–344  
 product of inertia and, 344–346  
 Parallel forces, 85–88  
 Parallelogram law, 5, 38, 42–43, 97, 1109  
 Partially elastic behavior, 458, 495  
 Particles, Newton's second law and, 3  
 Percent elongation, 456  
 Percent reduction in area, 456  
 Perfect plasticity, 453–454  
 Permanent set, 458, 495  
 Perpendicular planes, equality of shear stress on, 473–474  
 Pin-connection forces, 271–272  
 Pin support, 118–119, 205, 392  
 Pinned-end columns, 1058–1067, 1076–1079  
 bending-moment equation for, 1059–1060  
 buckling of, 1061–1063  
 critical load for, 1058–1059, 1061–1062  
 critical stress for, 1063–1064  
 differential equations for, 1059–1061  
 equilibrium of, 1058–1059  
 material strength and, 1062–1063  
 stability of, 1058–1059  
 Pinned joint connections  
 frames, 271–272, 290  
 trusses, 237–238, 289  
 Plain strain, 869–882, 885  
 calculation of stresses from, 877  
 inclined sections, 869–882, 885  
 Mohr's circle for, 876  
 normal strain and, 872–873  
 plane stress compared to, 869–871  
 principle strains, 875  
 shear strain and, 873–876  
 strain gage measurements, 876–877  
 transformation equations for, 871–875
- Plane areas.** *See also* Area  
 centroid of, 312–314, 317–318, 355  
 moments of inertia for, 332–337, 357  
 parallel-axis theorem for, 335–337, 356  
 properties of, 1117–1112  
 radius of gyration of, 333–335  
 rectangular moments of inertia, 332–335, 357
- Plane of bending**, 718, 792
- Plane stress**  
 applications of, 909–962  
 biaxial stress, 837, 845, 863  
 calculation from plain strains, 877  
 circumferential (hoop) stress, 916–917  
 combined loadings and, 923–945, 947  
 cylindrical pressure vessels, 916–923, 946–947  
 explanation of, 832–834  
 Hooke's law for, 861–865  
 inclined planes, 832–865, 869–871, 877, 883–884  
 in-plane principal stress, 842–843  
 in-plane shear stress, 845  
 longitudinal (axial) stress, 917  
 membrane stresses, 911  
 Mohr's circle for, 848–861  
 normal stress as, 833  
 out-of-plane shear stress, 845  
 plane strain compared to, 869–871  
 principal angles, 840, 841–842  
 principal planes, 840, 842–848, 852  
 principal stress, 840–841, 852  
 pure shear, 836  
 shear stress, 833, 842–845, 853  
 sign conventions for, 833, 853  
 spherical pressure vessels, 910–915, 946  
 tensile stresses, 910–911  
 transformation equations for, 835–839, 848–849, 883  
 uniaxial stress, 836, 845, 863  
 wedge-shaped elements, 834–835
- Plane trusses**, 122, 131, 236–256, 289–290  
 cables, 241–242, 290  
 collinear members, 241  
 cross bracing, 241–242  
 free-body diagrams for, 122  
 gusset-plate connections, 237–238  
 method of joints, 238–247  
 method of sections, 247–256  
 stability of, 240  
 static determinacy of, 131, 240  
 structural analysis of, 236–256, 289–290  
 triangular design of, 237, 289  
 two-force members, 237–238  
 zero-force members, 240–241, 290
- Plastic flow**, 459



- Plastic region, 458–459, 495  
 Plasticity, elastic limit and, 458–459, 465  
 Plastics, stress-strain diagram for, 457  
 Points  
   area symmetric about, 313  
   moments about, 59–63  
   principal, 349–350  
 Poisson's ratio, 465–466, 475, 495–496, 1145  
 Polar moment of inertia, 342–344, 357, 643, 645  
 Polygon law, 43–44, 83, 97  
 Position vectors, 8  
 Power transmission, 675–679  
 Pressure vessels  
   cylindrical, 916–923, 946–947  
   spherical, 910–915, 946  
   thin-walled, 910, 916, 946  
 Prestrains, 569, 580–581, 601, 694  
 Prestressed structures, 580  
 Principal angles, 840, 841–842  
 Principal axes, 348–349, 351–354, 357  
 Principal moments of inertia, 350–354, 357  
 Principal planes, 840, 842–848, 853  
 Principal points, 349–350  
 Principal stress, 840–841, 852  
 Principle of moments, 54  
 Principle of superposition, 988  
 Principle of transmissibility, 37, 97  
 Principle strains, 875  
 Prismatic bars, 443–451, 542–556  
   axial-displacement diagrams (ADD) for, 543, 545–546  
   axial-force diagrams (AFD) for, 542–543, 545  
   axial loads and, 443–451  
   axial rigidity of, 535  
   cross sections for, 535  
   elongation of, 535–536, 540–543, 600  
   flexibility of, 536  
   intermediate axial loads, 542–543  
   line of action for, 446–447  
   nonuniform condition length changes, 542–556  
   segmented bars, 543–544  
   sign conventions for, 535–536  
   stiffness of, 536  
   strain and, 445–451  
   stress and, 443–444, 446–451  
   uniaxial stress and strain and, 446  
   uniform stress distribution, 446–447  
   varying loads on, 544–545  
 Prismatic beams, deflection of, 968  
 Prismatic shafts, noncircular, 683–692.  
   *See also* Shafts  
 Problem solving, 14–28  
   accuracy of calculations, 15–17  
   dimensional homogeneity, 15  
   engineering calculations, 15–16  
   four-step approach, 17–28  
   numerical problems, 14–15  
   rounding numbers, 16  
   significant digits, 16  
   symbolic problems, 14  
 Product of inertia, 344–346, 357  
 Properties of materials, 1143–1147  
 Proportional limit, 453–454, 494  
 Propped cantilever beams, 995–996  
 Pure bending, 718–719, 721–722  
 Pure shear  
   Hooke's law for, 475, 496  
   inclined planes, 666–673  
   shear distortion, 669  
   sign conventions for, 666–667  
   state of, 474, 639  
   strains in, 669–670  
   stresses in, 666–669, 836  
   torsion effects in, 666–673  
   transformation equations for, 836  
 Pure torsion, 638–639, 644, 666–673
- Q**  
 Quadratic equation and formula, 1114
- R**  
 Radius of curvature, 719, 965  
 Radius of gyration, 333–335, 357, 1063  
 Rate of twist, 640  
 Reaction forces, 117–121  
 Reactions, analysis for structural design, 490–493  
 Rectangular cross sections  
   beams, 729, 740–741, 748–756, 793  
   bending stresses, 740  
   dimensionless coefficients for, 687  
   moment of inertia, 729  
   normal stresses, 729  
   relative efficiency of, 740–741  
   section modulus, 729, 740  
   shear formula for, 749–752, 793  
   shear stresses in, 685–687, 748–756, 793  
   torsion and, 684–687  
   warping of, 684–685  
 Rectangular moments of inertia, 332–335, 357  
 Redundant reactions, superposition of, 1005–1008  
 Reinforced concrete beams, 771  
 Relaxation, 459, 495  
 Released (primary) structures, 559–561, 601, 996  
 Required area, structural design for, 490  
 Residual (permanent) strain, 458, 495  
 Restoring moment, 1051  
 Resultant of system  
   concurrent forces, 43–44, 50–54, 83, 97  
   force equilibrium, 50–54  
   nonconcurrent forces, 83–85  
   parallel forces, 85–88  
   polygon law graphical approach, 43–44, 83  
   principle of moments, 54  
   vector summation approach, 44–45, 83  
   wrench, 88–96  
 Right-hand rule, 59–60, 98, 638  
 Rigid bodies, 2
- Rocker support, 118  
 Roller support, 118, 205, 392  
 Rolling up an incline, 164  
 Rotational motion  
   dry friction and, 163–164, 180–183, 188–192  
   equilibrium equations for, 163–164  
   rolling up an incline, 164  
   slipping and, 164, 177–179  
   traction, 163  
   wedges for prevention of, 188–192  
 Rotational spring support, 121  
 Rounding numbers, 16  
 Rubber, stress-strain diagram for, 456
- S**  
 S-shaped (I-section) beams, 740, 1126–1127  
 Sandwich beams, 767, 770–771  
 Scalars, 4, 116–117, 1109  
 Screws, 192–197  
   dry friction and, 192–197  
   force diagrams for, 193–194  
   load, 192  
   mean diameter, 192  
   self locking, 194  
 Secant formula, 1081–1086, 1089  
 Section modulus, 728–729, 738–741  
 Self locking screws, 194  
 Shafts  
   angle of twist for, 685–692  
   circular, 675–679  
   distributed torsional moment loading, 381–382, 420  
   elliptical cross sections, 684, 685–686  
   internal torsional moments in, 381–391  
   noncircular prismatic, 683–692  
   power transmission by, 675–679  
   rectangular cross sections, 684, 686–687  
   relationship between loads and internal torsional moments, 383, 420  
   sign convention for, 382  
   stress distribution for, 685–692  
   thin-walled open cross sections, 684, 687  
   torque and, 638  
   torsion and, 638, 675–679, 683–692, 694–695  
   torsional moment diagram (TMD), 384–391, 421  
   torsional moments in, 381–391, 683  
   triangular cross sections, 684, 686  
   warping, 683–684  
 Shear distortion, 669  
 Shear force  
   beams, 396–399, 421, 761–762  
   bending moments and, 396–398, 421  
   relationships between loads, bending moments, and, 397–399  
   sign convention for, 396–397  
   webs of wide-flange beams, 761–762



- Shear formula, 749–752, 757, 792, 793
- Shear modulus of elasticity, 475
- Shear strain
- angle units for, 474
  - beams, 753
  - circular bars, 641
  - distortion as, 474
  - inclined sections, 873–876
  - maximum, 875–876
  - modulus of rigidity for, 475
  - outer surface of bars, 639–641
  - sign convention for, 474–475
  - torsion and, 639–641, 693–694
  - transformation equations for, 873–874
  - tubes, 641
  - warping from, 753
  - within bars, 641
- Shear stress
- axial loads and, 470–483, 495–496
  - average, 472
  - bearing stress and, 470–472, 495
  - bolts, 470–473
  - circular bars, 642–644, 693–694
  - circular cross sections, 756–759, 793
  - distribution of, 752–753
  - first moment and, 751–752
  - Hooke's law for, 475, 496, 642
  - horizontal, 748–749
  - in-plane, 845
  - inclined sections with, 592–594
  - linearly elastic materials, 642–644
  - maximum, 843–845, 853
  - modulus of rigidity for, 475
  - Mohr's circle for, 853
  - out-of-plane, 845
  - perpendicular planes, equality of on, 473–474
  - Poisson's ratio for, 475, 496
  - pure shear, 474–475, 494, 639, 666–673
  - rectangular cross sections, 748–756, 793
  - sign convention for, 474–475, 666, 833, 853
  - subscript notation for, 833
  - torque and, 643–644, 666
  - torsion and, 642–646, 693–694
  - tubes, 645–646
  - units of, 473
  - vertical, 748–749
  - webs of wide-flange beams, 759–766
- Shear-force and bending-moment diagrams, 401–419, 422
- beams, 401–419, 422
  - concentrated loads, 402–404, 405–406
  - frames, 415–419
  - several concentrated loads, 405–406
  - uniform loads, 404–405
- Shear-force equations, 968, 980–985
- Shell structures, 910. *See also* Pressure vessels
- Significant digits, 16
- Simply supported (simple) beams, 392, 411–414, 1140–1142
- Skew direction, 866–867
- Slenderness ratio, 1064
- Sliding support, 119, 205
- Sliding vector, 4, 59
- Sliding versus overturning, 160–163, 165–176
- Slipping, rotational motion and, 164, 177–179
- Slopes of deflection curve, 1137–1142
- Space trusses, 131–132, 256–270, 290
- ball-and-socket joints, 256
  - method of joints, 258–264
  - method of sections, 260–261, 264–270
  - stability of, 257
  - static determinacy of, 131–132, 257
  - structural analysis of, 256–270, 290
  - tetrahedron design of, 257
- Spherical pressure vessels, 910–915, 946
- gage pressure, 910
  - inner surface stresses, 912–913
  - limitations of thin-shell theory, 913
  - membrane stresses of, 911
  - outer surface stresses, 912
  - plane stress applications, 910–915, 946
  - tensile stresses in, 910–911
  - thin-walled, 910, 946
- Spherical stress, 868–869, 885
- Spring (elastic) support, 120–121, 205
- Springs
- coils, 534–535
  - elongation of, 534–535, 538–539
  - flexibility (compliance), 534–535
  - misfits of, 584–587
  - natural length, 534
  - stiffness (spring constant), 534
- Stability
- columns, 1050–1059
  - critical load and, 1051–1052, 1058–1059
  - determinacy and, 240, 257, 273–274
  - equilibrium and, 128–130, 206
  - frames, 273–274
  - interior and exterior, 240, 257
  - neutral equilibrium and, 1052–1053
  - plane trusses, 240
  - space trusses, 257
  - structural design for, 490
- Stable equilibrium, 1058
- Static determinacy
- equilibrium equations for, 117, 131–134, 206
  - examples of analysis for, 132–134
  - frames, 273–274
  - plane trusses, 131, 240
  - space trusses, 131–132, 257
  - stability and, 240, 257, 273–274
- Static equilibrium analysis, 116–157, 205–207. *See also* Equilibrium
- Static equilibrium equations, 116–117, 127–128, 205
- Static friction, 158–159, 207
- Static redundants, 996
- Static sign convention, 397
- Statically determinate beams, 963–994, 1018
- bending-moment equations, 968–979
  - deflection curve of, 964–969
  - deflection of, 963–994
  - differential equations for, 963–985
  - distributed loads on, 987–988
  - load equations, 968, 980–985
  - method of superposition for, 985–994, 1018
  - nonprismatic beams, 967–968
  - prismatic beams, 968
  - shear-force equations, 968, 980–985
- Statically determinate structures
- axially loaded members, 533–556, 600
  - bars, 544–545, 600
  - cables, 536–537, 600
  - misfits in, 580
  - prismatic bars, 535–536, 542–543, 600
  - springs, 534–535, 584–587
  - thermal effects on, 571
- Statically indeterminate beams, 994–1017, 1019
- continuous beams, 997
  - deflection curve of, 998–1004, 1019
  - deflection of, 994–1017, 1019
  - differential equations for, 998–1004, 1019
  - fixed-end beams, 996–997
  - method of superposition for, 1004–1008, 1019
  - propped cantilever beams, 995–996
  - redundant reactions, 1005–1008, 1019
- Statically indeterminate structures
- axially loaded members, 556–569, 601
  - bars, 556–558
  - equations of compatibility for, 557, 680, 694
  - equations of equilibrium for, 556–558, 679–680
  - force-displacement relations, 557–558
  - misfits in, 581, 694
  - prestrains in, 694
  - superposition for, 559–561, 601
  - thermal effects on, 571–572
  - torque-displacement relations, 680–683
  - torsional members, 679–683, 694
- Statics, study of, 2
- Steel. *See* Structural Steel
- Stiffness
- spring constant, 534, 536
  - structural design and, 490
  - torsional, 644
- Strain. *See also* Plane strain; Shear strain
- beams, 721–725, 767–768
  - composite beams, 767–768
  - compressive, 445
  - dimensionless quantity of, 445
  - Hooke's law for, 464–465, 475, 494
  - inclined planes under torsion, 669–670



Strain (*continued*)

- inclined sections under plane strain, 872–873, 876
  - lateral, 465–466
  - longitudinal, 721–725
  - nominal, 453
  - normal, 445, 722, 872–873
  - Poisson's ratio for, 465–466, 495
  - principal, 876
  - pure shear, 669–670
  - residual, 458
  - sign convention for, 722
  - tensile, 445
  - thermal, 570–571
  - transformation equations for, 872–873
  - transverse, 723
  - true, 453
  - uniaxial, 446
- Strain-curvature relation, 722
- Strain gage measurements, 876–877
- Strain hardening, 453–454
- Strength
- allowable loads, 485–489, 496
  - allowable stress, 484–489, 496
  - factor of safety, 483–484, 496
  - margin of safety, 484
  - stress-strain diagrams for, 453–454
  - ultimate stress and, 453–454, 485
- Stress. *See also* Bending stress; Plane stress; Shear stress
- allowable, 484–490, 496
  - axial forces and, 443, 446–451
  - axially loaded members, 570–571, 588–599, 601
  - beams, 717–830
  - bearing, 470–472, 495
  - biaxial, 837, 845, 863, 864, 867
  - columns, 1063–1064, 1081–1083
  - compressive, 444–445, 1081–1082
  - concept of, 442–443
  - composite beams, 767–768, 770, 777–778
  - critical, 1063–1064, 1083
  - distribution in noncircular shafts, 685–692
  - Hooke's law for, 464–465, 475, 494
  - hydrostatic, 869
  - inclined planes, 666–669
  - inclined sections and, 588–599
  - limitations of, 444–445
  - linear elastic material and, 725–738
  - loading and unloading materials for, 458
  - magnitude of, 443
  - moment-curvature relationship and, 726–727
  - neutral axis location for, 726
  - nominal, 453
  - normal, 442–445, 833
  - offset yield, 455–456
  - prismatic bars, 443–451
  - pure shear, 666–669
  - resultant of, 725
  - sign convention for, 590–592, 833
  - spherical, 868–869
  - tensile, 444

- thermal, 570–571
  - torsion and, 666–669, 685–692
  - triaxial, 866–869
  - true, 453
  - ultimate, 453–454, 484
  - uniaxial, 446, 594, 836, 845, 863, 864
  - uniform distribution of, 446–447
  - units of, 444
  - unsymmetric beam analysis for, 787–789
  - yield, 453–454
- Stress-strain curves, 453–455
- Stress-strain diagrams, 452–464, 494–495
- aluminum alloys, 455–456
  - brittle materials, 456, 495
  - composites, 457
  - compression, 457
  - ductility, 455, 456, 494
  - elastic limit, 458, 495
  - elastic region, 458–459, 495
  - elongation, 456
  - linear region, 453
  - loading and reloading materials and, 459
  - modulus of elasticity, 454
  - necking, 453–454
  - nominal stress and strain calculations, 453
  - perfect plasticity, 453–454
  - plastic region, 458–459, 495
  - plastics, 457
  - proportional limit, 453–454, 494
  - rubber, 456
  - strain hardening, 453–454
  - stress-strain curves, 453–455
  - structural steel, 453–455
  - true stress and strain calculations, 453
  - yield point, 453–454
- Structural steel
- beam sections, 739–740
  - mechanical properties of, 453–455
  - properties of shapes, 1123–1133
  - stress-strain diagrams, 452–464
- Structures
- allowable stresses and loads, 493–489, 496
  - analysis of, 235–310, 490
  - design of, 490–493, 496
  - factor of safety, 483–484, 496
  - frames, 270–282, 290
  - internal forces of, 270, 272–273
  - load and reaction analysis of, 490–493
  - machines, 270–274, 282–288, 290
  - margin of safety, 484
  - method of joints, 238–247, 258–264, 289
  - method of sections, 247–256, 260–261, 264–270, 289
  - plane trusses, 236–256, 289–290
  - required area of, 490
  - space trusses, 256–270, 290
  - stability of, 490
  - structural steel shape properties, 1123–1133
  - stiffness of, 490

- strength of materials and, 453–454
  - lumber properties, 1135
  - steel shape properties, 1123–1133
- Superposition
- bars, 559–561, 601
  - beam deflection tables for, 986
  - beams, 985–994, 1004–1017
  - deflection determined by, 985–994, 1004–1008, 1018–1019
  - distributed loads and, 987–988
  - equations of compatibility for, 680, 1005
  - equations of equilibrium for, 679–680, 1005
  - force-displacement relations and, 1005
  - method of, 985–986, 1018
  - principle of, 988
  - redundant reactions, 1005–1008
  - released (primary) structures, 559–561, 601, 996
  - statically determinate beams, 985–994, 1018
  - statically indeterminate beams, 1005, 1008, 1019
  - statically indeterminate structures, 559–561, 601, 679–983, 694
  - torque-displacement relations and, 680–681
  - torsional members, 679–983, 694
- Support conditions
- beams, 392–394
  - columns, 1058–1076, 1079
  - equilibrium equations for, 127–130
  - fixed support, 120, 205, 192, 1068–1076, 1079
  - free-body diagrams for, 117–121, 205
  - idealized models with, 394
  - journal bearing, 121
  - pin support, 118–119, 205, 392, 1058–1067, 1076–1079
  - reaction forces at, 117–121
  - roller support, 118, 205, 392
  - sliding support, 119, 205
  - spring (elastic) support, 120–121, 205
  - stability and, 128–130
  - symbols for, 118–121, 393
  - thrust-bearing support, 121, 205–206
  - wheel on rail support, 121, 205–206
- Symbolic problems, 14
- Symmetry, 313, 970. *See also* Axis of symmetry
- Symmetry-anti-symmetry analysis, 187
- T**
- Tapered bars, elongation of, 544–545
  - Temperature-displacement relations, 571–572
  - Tensile stress and strain, 444–445, 910–911
  - Tensile test, 452
  - Thermal effects, 569–580, 601
    - axially loaded members, 569–580, 601



- coefficient of thermal expansion  
and, 570  
sign convention for, 570  
statically determinate structures, 571  
statically indeterminate structures,  
571–572  
stresses and strain from, 570–571  
temperature–displacement relations,  
571–572
- Thermal stress and strain, 570–571
- Thin-walled open cross sections,  
684, 687
- Thin-walled pressure vessels, 910,  
916, 946
- Three-dimensional (3D) problems  
equilibrium of, 144–157  
forces, 36, 44–49  
moments, 60–61
- Thrust-bearing support, 121, 205–206
- Torque  
angle of twist and, 644–645, 656  
direction of, 666  
nonuniform torsion and, 645–656  
shear stresses and, 643–644, 666  
thin-walled cross sections, 687  
tube thickness and, 646  
twisting moments as, 638–639  
units of, 638
- Torque–displacement relations,  
680–683, 693
- Torsion, 637–716  
angle of twist, 639, 644–645,  
684–685, 693–694  
circular bars (solid), 638–653,  
693–694  
deformation from, 638–641  
ideal case of, 638  
inclined planes and, 666–669  
linearly elastic materials and,  
641–653  
moduli of elasticity and rigidity,  
relationship between,  
673–674  
moment of a couple and, 638  
nonuniform, 654–665  
power transmission, 675–679  
pure, 638–639, 644, 666–673  
rate of twist, 640  
right-hand rule for, 638  
shafts, 638, 675–679, 683–692,  
694–695  
shear strains from, 639–642,  
693–694  
shear stress from, 642–644, 693–694  
sign conventions for, 654  
statically indeterminate members,  
679–683, 694  
stresses and strains from, 666–673  
torque–displacement relation,  
656, 693  
tubes, 641, 645–646, 648–653  
twisting moments (torques), 638  
warping from, 683–684
- Torsion formula, 643–644, 693
- Torsional-displacement diagram (TDD),  
656–665, 694
- Torsional flexibility, 644, 693
- Torsional-moment diagram (TMD),  
384–391, 421–422, 656–665, 694
- Torsional moments  
distributed loading, 381–382, 420  
internal, 381–391  
linearly varying, 382  
relationship between loads and,  
383, 420  
sign convention for, 382  
uniform, 381
- Torsional rigidity, 644
- Torsional stiffness, 644, 693
- Traction, 163
- Transformation equations  
biaxial stress, 837  
inclined planes, 835–839, 848–849,  
871–875, 883, 885  
Mohr's circle, 848–849  
moments of inertia, 347–348  
plane stress, 835–839  
uniaxial stress, 836
- Transformed-section method,  
776–784, 795
- Translational spring support, 120
- Transverse loads, 391
- Transverse strain, 723
- Triangle law, 5, 38, 97, 1110
- Triangular cross sections, 684, 686
- Triaxial stress, 866–869, 885  
Hooke's law for, 867  
hydrostatic stress, 869, 885  
inclined planes, 866–869, 885  
maximum shear stresses, 866–867  
Mohr's circle for, 866, 885  
spherical stress, 868–869, 885  
unit volume change (dilatation), 867
- Tribology, 158–159
- Trigonometric functions, 1113–1114
- Triple vector/scalar product, 69–70, 98,  
1112
- True stress and strain, 453
- Trusses  
free-body diagrams for, 122  
method of joints, 238–247, 258–264  
method of sections, 247–256,  
260–261, 264–270  
plane, 122, 131, 236–256, 289–290  
space, 131–132, 256–270, 290  
structural analysis of, 236–270,  
289–290  
static determinacy of, 131–132
- Tubes  
circular, 641, 645–646, 648–653  
linearly elastic materials, 645–646  
polar moment of inertia for, 645  
shear stress distribution in,  
645–646  
thickness of and torque, 646  
torsional deformation of, 641,  
645–646, 648–653  
torsion formula for, 646
- Turnbuckles, 581–584
- Twisting, 638–640. *See also* Angle of  
twist; Torsion
- Two-dimensional (2D) problems  
Cartesian coordinate system, 40–41  
equilibrium of, 130–131, 134–144  
forces, 36, 40–44  
independent equilibrium equations  
for, 130–131  
moments, 59–60  
parallelogram law for, 42–43  
polygon law for, 43–44, 83
- Two-force members, 237–238
- U**
- U.S. Customary System (USCS) of units,  
9, 11–12
- Ultimate stress (strength), 453–454, 485
- Uniaxial stress and strain, 446, 594, 836,  
845, 863, 864
- Uniform loads, 372–373, 394, 404–405
- Uniform torsional moments, 381
- Unit vectors, 7–8, 97, 1110–1111
- Unit volume change (dilatation), 864,  
867, 885
- Units, 9–13  
base, 10–12  
conversion factors, 12–13  
derived, 10  
International System (SI), 10–11  
types of, 9  
U.S. Customary, 11–12
- Unsymmetric beams, 784–791, 795  
bending moments in, 784–786  
bending of, 784–791, 795  
curvature of, 785–786  
neutral axis, 785–786  
nonprincipal centroidal axes of,  
788–789  
principal centroidal axes of,  
787–788  
stress analysis of, 787–789
- V**
- V-belts, 197–198, 199–200
- Varignon's theorem, 64–69, 98
- Vector summation approach, 44–45, 83
- Vectors, 4–9, 116, 1109–1112  
addition and subtraction of,  
1109–1110  
components, 6–7  
cross product, 1111–1112  
direction cosines, 1111  
dot product, 1111  
equilibrium equations, 116  
fixed, 4  
free, 4–5  
operations, 5–9, 1109–1112  
position, 8  
properties of, 1109  
quantities of, 4  
sliding, 4  
triple product, 1112  
unit, 7, 1110–1111
- Volume  
centroid of, 314, 318–320, 322, 356  
composite bodies, 322  
theorem of Pappus for,  
329–331, 356  
Volume change, 863–864. *See also* Unit  
volume change (dilatation)



**W**

W-shape properties, 1124–1125  
 Warping, 683–684, 753  
 Webs, 741, 759–766, 794  
 Wedge-shaped stress elements, 834–835  
 Wedges, 184–192  
   between identical blocks, 187  
   between two blocks, 185–187  
   dry friction and, 184–192  
   equilibrium equations for, 185

free-body diagrams for, 184–185  
 rotational motion prevented using,  
 188–192  
 symmetry–anti-symmetry  
 analysis, 187

Weight, gravity and, 3–4  
 Weight density, 1144  
 Wheel on rail support, 121, 205–206  
 Wire rope, 536. *See also* Cables  
 Wood beams, 741  
 Wrench resultant, 88–96, 99

**Y**

Yield point, 453–454  
 Yield stress (strength), 453–454  
 Yielding, 454  
 Young's modulus, 465

**Z**

Z-shapes, 684, 687  
 Zero-force members, 240–241, 290